

The WORKSHOP Catalogue

February - May 2024 All prices quoted include GST.

ACCUD

Measuring Equipment

500 MM Drum Brake Vernier

Range: 500 mm
Graduations: 0.05 mm
Jaw Length: 145 mm
Anvil Dia.: 3 mm
Anvil Length: 11.5 mm
Overall Length: 670 mm



New!

PERFECT FOR TRUCKS!

\$595

PN: AC-146-020-52

BASSO

6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 mm
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 Kg



Full range on page 26.

\$299

PN: BOS156SA2

flexipads

Ultra Tough & Rigid Grinding Pads!



New!

Keep backing pads & sanding discs cool and increase service life with Coolflow™ & Turbo backing pads.

Full Range on page 35.

KUANI

Gear up your world™

Dual Chuck Tyre Inflator

Units: PSI, kg/cm², KPA & Bar
Air Flow: 1.28 CFM @ 100 PSI
Hose Length: 750 MM
Range: 0-220 PSI
Weight: 1.2 Kg



GREAT FOR TRUCK TYRES!

\$199

PN: KP79G07

THE BONE™ BACK IN TOWN!

CREEPERS & STOOLS

THE BONESTER SUPER LOW PROFILE

180 KG CAPACITY

Mechanics Creeper
1092L x 594W x 114H MM
Wheels: Ø75 MM X 22 MM
Load Capacity: 180 Kg
38 MM Ground Clearance
Weight: 6 Kg



\$479

PN: BONE4031

THE BONE LOW PROFILE

180 KG CAPACITY

Mechanics Creeper
1194L x 648W x 160H MM
Wheels: Ø130 MM X 25 MM
Load Capacity: 180 Kg
45 MM Ground Clearance
Weight: 8 Kg



\$599

PN: BONE6031

ROUGH RIDER

180 KG CAPACITY

Mechanics Creeper
1194L x 648W x 191H MM
Wheels: Ø130 MM X 33 MM
73 MM Ground Clearance
Weight: 9.1 Kg



\$649

PN: BONE7031

THE TAIL BONE

Rough Rider Mechanics Stool

Huge 130 MM Rough Rider Tyres
44 MM Ground Clearance
330 MM Seat Height
740L x 800W MM
Weight: 7.5 Kg



180 KG CAPACITY

\$459

PN: BONE5131

geiger

6 MM Heavy Duty Quick Release Deburrer

- Removable cap for blade storage
- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with
- 6 mm General Purpose Blade (GDSR10S).



\$37

PN: GDSRSDMKK

Full range on page 17.

See full product range at: gamer.com.au

Lathe Tool Set

Centre Height: 12 mm
9 Piece set includes replaceable tips and Case.



HOT PRICE!

\$315
PN: J112

3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Includes:
4-12 MM,
4-20 MM
4-32 MM



\$189
PN: G3SD

Centre Drill Set

5 Piece set includes sizes:
1# Dia: 3.15 MM / 1.16 MM
2# Dia: 4.7 MM / 2 MM
3# Dia: 6.3 MM / 2.95 MM
4# Dia: 4.9 MM / 3.2 MM
5# Dia: 11 MM / 4.85 MM



\$26
PN: GCDS

115 Piece Hss Drill Set

115 Piece set includes:

- 29 Fractional Imperial**
Drill Bits from 1/16" (1.59 mm) to 1/2" (12.7 mm)
- 60 ASME Standard Numbered**
Drill Bits from No.1 (5.79 mm) to No.60 (1.02 mm)
- 26 ASME Standard Lettered**
Drill Bits from A (5.94 mm) to Z (10.49 mm)



\$189
PN: GDS115

Screw Extractor Set

5 piece set is suitable for extracting screws or bolts from 4M to M20.



\$20
PN: GSES

Metric 18 Piece Tap & Drill Set

18 piece set includes precision ground tap drill and thread taps for M2.5, M3, M3.5, M4, M5, M6, M8, M10 & M12 internal threads.



\$110
PN: GTDS

Letter Stamp Sets

27 piece set includes A-Z plus "&" character
Made from CRV (6150).

10 mm Stamp Set

\$115

PN: GYC601-10

12 mm Stamp Set

\$145

PN: GYC601-12



Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9)
Made from CRV (6150).



3 mm Stamp Set **\$30**
PN: GYC602-3

4 mm Stamp Set **\$32**
PN: GYC602-4

5 mm Stamp Set **\$36**
PN: GYC602-5

6 mm Stamp Set **\$42**
PN: GYC602-6

8 mm Stamp Set **\$52**
PN: GYC602-8

10 mm Stamp Set **\$62**
PN: GYC602-10

12 mm Stamp Set **\$87**
PN: GYC602-12

Alphanumeric Stamp Sets

36 piece set includes
27 "A" to "Z",
"&", and 9 Piece
0-8 (6 is used as 9)
Hardness:
HRC 58-62°



3 mm Stamp Set **\$60**
PN: GYC607-3

4 mm Stamp Set **\$69**
PN: GYC607-4

5 mm Stamp Set **\$83**
PN: GYC607-5

6 mm Stamp Set **\$99**
PN: GYC607-6

8 mm Stamp Set **\$169**
PN: GYC607-8

Single Line Alphanumeric Stamp Sets

Made from S55C High carbon steel, HRC 58-60°.

100 Piece set includes:
9 Character Type Holder,
hex wrench, A-Z, 0-9,
&, /, - and blank space.

3 mm Stamp Set

\$489

PN: GYC610-3

6 mm Stamp Set

\$589

PN: GYC610-6



Auto Centre Punch

- Adjustable hammer setting

Length: 120 mm



\$37
PN: VACP1

Hook & Pick Set

Includes Straight, Right-Angle, Curved & Hooked Picks.



\$36
PN: GXHP4

Drill Chuck Arbors



Other sizes available.

- MT2 x JT6 Arbor **\$24**
PN: DCAMT2J6
- MT3 x JT6 Arbor **\$31**
PN: DCAMT3J6
- MT2 x J3 Arbor **\$24**
PN: DCAMT2J3
- MT3 x B16 Arbor **\$31**
PN: DCAMT3B16

Drift Slide Hammer

- Made from carbon steel

Length: 375 mm
Weight: 1.3 kg
HRC: 44-48°



\$98
PN: VHD1

Precision Keyless Chucks

Especially suited to CNC machining centre and milling machine use



Keyless 13 MM Drill Chuck

Accuracy: 0.05 / 50 mm
Length: 105.3 mm (closed)
Mount: JT6


\$195
PN: VKD102

Keyless 3-16 MM Drill Chuck

Accuracy: 0.05 / 50 mm
Length: 110.3 mm (closed)
Mount: JT6

\$205
PN: VKD104

Drill Press Vices



100 MM Drill Press Vice

Base: 177 x 161 mm
Jaw Size: 101 x 23 mm
Jaw opening: 100 mm

\$52
PN: TV102-4

200 MM Drill Press Vice

Base: 348 x 287 mm
Jaw Size: 200 x 46 mm
Jaw opening: 200 mm

\$379
PN: TV122-8

Round Vice

- Reversible mount for smaller bar diameters.
- Mount horizontally or vertically



Capacity: 10-80 mm round
Base: 230 x 161 mm (Hor.)
Base: 161 x 135 mm (Vert.)
Jaw width: 100 mm

\$369
PN: GVSR

Metal Working Bench Vises

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base



150 MM Bench Vice

Jaw face: 155 x 85 mm
Jaw opening: 150 mm
Weight: 14 kg

\$369
PN: GBV6

200 MM Bench Vice

Jaw face: 205 x 85 mm
Jaw opening: 200 mm
Weight: 18 kg

\$475
PN: GBV8

Right Angles Welders Vises



Designed to accurately hold same size bar at right angles to each other.

60 MM Jaw Opening


\$159
PN: TV274

100 MM Jaw Opening

\$199
PN: TV275

Cross Vises

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work



100 MM Cross Vice

Base: 223 x 130 mm
Overall height: 133 mm
Jaw Size: 103 x 34 mm

\$119
PN: TV144-4

150 MM Cross Vice

Base: 280 x 160 mm
Overall height: 160 mm
Jaw Size: 154 x 44 mm

\$229
PN: TV144-6

Precision Drill Press Vises

- Hardened prismatic jaws
- Removable pin handle for extra torque



100 MM Drill Vice

Jaw Face: 103 x 32 mm
Jaw opening: 80 mm

\$275
PN: GS101-4

125 MM Drill Vice

Jaw Face: 130 x 38 mm
Jaw opening: 110 mm

\$355
PN: GS101-5

Mill & Drill Stands

Rotary Jobber Drill Stand

Range: 1-13 mm
Capacity: 100 drill bits
Size: 174 x 90 mm



\$53
PN: VMS3

62 Pocket End Mill Stand

Pocket Sizes: 15 x 6 mm, 12 x 8 mm, 10 x 10 mm, 8 x 16 mm, 7 x 20 mm, 6 x 25 mm, 2 x 32 mm & 2 x 42 mm
Material: ABS



\$50
PN: VMS2



Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate). Mix between 5% to 10% with clean tap water.

1 Litre

\$34
PN: SOLOIL1

5 Litres

\$125
PN: SOLOIL5


20 Litres

\$419
PN: SOLOIL20





Dual Scale Vernier Calipers



Graduation: 0.02 mm / 01"
Accuracy: ±0.03/01"

150 mm Dual Scale Vernier Caliper

PN: AC-120-006-12

\$85

200 mm Dual Scale Vernier Caliper

PN: AC-120-008-12

\$115

300 mm Dual Scale Vernier Caliper

PN: AC-120-012-12

\$220

Metric Dial Calipers



150 mm Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ±0.03 mm

PN: AC-101-006-11

\$169

200 mm Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ±0.03 mm

PN: AC-101-008-11

\$199


300 mm Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ±0.04 mm

PN: AC-101-012-11

\$310

150 mm Digital Plastic Caliper




Resolution: 0.01 mm / 005"
Accuracy: ±0.1 mm

PN: AC-117-006-11

\$49

Dual Scale Digital Calipers



USB DATA OUTPUT

Resolution: 0.01 mm
Accuracy: ±0.03 mm

150 mm Dual Scale Digital Caliper

PN: AC-111-006-12

\$110

200 mm Dual Scale Digital Caliper

PN: AC-111-008-12


\$169

300 mm Dual Scale Digital Caliper

PN: AC-111-012-12

\$239

Splash Proof IP54 Dual Scale Digital Calipers



Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

USB DATA OUTPUT

- Highly accurate glass scale
- USB data output

150 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-006-11

\$139

200 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-008-11


\$189

300 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-012-11

\$279

Fractional Imperial & Metric Digital Calipers



Resolution: 0.01 mm, 05", 1/128"
Accuracy: ±0.03 mm

- IP54 splash proof
- Auto On/Off

150 mm Fractional Imperial Digital Caliper

PN: AC-113-006-11

\$149

200 mm Fractional Imperial Digital Caliper

PN: AC-113-008-11

\$210

300 mm Fractional Imperial Digital Caliper

PN: AC-113-012-11

\$299

Coolant Proof IP67 Dual Scale Digital Calipers



150 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-006-12

\$289

200 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-008-12

\$369


300 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-012-12

\$649

Dual Scale Long Series Digital Calipers



USB DATA OUTPUT

- Functions: zero point, mm/inch, ABS, data preset
- Measures: Inside, Outside
- USB data output

600 mm Dual Scale Digital Caliper

Range: Outside 0-620 mm / 0-24.5"
Inside 20-600 mm / 0-24"

Resolution: 0.01 mm / 05"
Accuracy: ±0.05 mm / 02"
Jaw Reach: 100 mm

PN: AC-118-024-11

\$779

1000 mm Dual Scale Digital Caliper


Range: Outside 0-1020 mm / 0-40.2"
Inside 20-1000 mm / 0-40"

Resolution: 0.01 mm / 05"
Accuracy: ±0.08 mm / 03"
Jaw Reach: 150 mm

PN: AC-118-040-11

\$1,489

Dual Scale Vernier Calipers



- Fine Adjustment
- Made of stainless steel
- Stain chrome reading surface

600 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ±0.05 mm

PN: AC-127-024-11

\$469

1000 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ±0.08 mm

PN: AC-127-040-11

\$1,239

2000 mm Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ±0.14 mm

PN: AC-127-080-11

\$3,799

Dial Indicators

10 mm Jeweled Bearing Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back



PN: AC-222-010-11

\$99

25mm Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-229-025-11

\$129

1" Dial Indicator

Graduation: 0.1"
Accuracy: 20 µm

PN: AC-225-025-11

\$89

25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 0.05"
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
- Supplied with flat & lug back



PN: AC-212-025-13

\$219

Indicator Point Extensions

Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04

\$22

50 mm - PN: AC-270-000-09

\$22

75 mm - PN: AC-270-000-14

\$29

100 mm - PN: AC-270-000-17

\$29

IMPERIAL SIZES AVAILABLE

Caliper Attachments

Caliper Point Extension Kit

Measure slotted, stepped or grooved surfaces in hard to access spaces with four different point configurations. Max Jaw Thickness: 4 mm Probe length: 20 mm



PN: GCAK

\$49

Caliper not included.

75 mm Base

Beam Width: 16 mm

PN: AC-179-000-00

\$49

100 mm Base

Beam Width: 16 mm

PN: AC-179-000-01

\$85



Dial Indicators

30 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-030-11

\$159

- 1 mm range per revolution
- Lug and flat back

50 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-050-21

\$329

2" Imperial Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-225-050-11

\$149



Dial Test Indicators

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

40 µm Dial Test Indicator

Graduation: 0.001 mm
Accuracy: ±4 µm

PN: AC-261-014-01

\$389

80 µm Dial Test Indicator

Graduation: 0.01 mm
Accuracy: ±13 µm

PN: AC-261-008-11

\$139



Dial Bore Gauges

18-35 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.015 mm

PN: AC-251-035-11

\$259

35-60 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-060-11

\$259

50-160 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-160-11

\$259

2-6" Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.0071"

PN: AC-252-060-11

\$289



18-160 mm Dial Bore Gauge Set

Range: 18-160mm
Indicating range: 10 mm
Graduations: 0.01 mm
Accuracy:
18-35mm / ±0.015 mm
35-60mm / ±0.018 mm
50-160mm / ±0.018 mm

PN: AC-251-346-13

\$769



Dial Indicator & Magnetic Stand Kits

10 mm Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf

Graduation: 0.01 mm

Accuracy: ±20 µm

PN: AC-280-000-02

\$185

1" Inch Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"

Magnetic Force: 60 kgf

Graduation: 0.001"

Accuracy: ±20 µm

PN: AC-280-001-02

\$185



- Supplied in Aluminium Case

Universal Magnetic Stands

Fine Adjustment Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf



PN: AC-281-060-01

\$89

Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf



PN: AC-281-060-02

\$79

Mini Universal Magnetic Stand

Magnetic Force: 40 kgf
Stem holes: 8 mm
Height: 231 mm
Arm length: 192 mm



PN: AC-286-040-01

\$199

Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf



PN: AC-282-080-02

\$229

Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.

PN: AC-269-060-01

\$49



ACCURATE MEASUREMENT

Contact Tachometer

Rotary Range: 0.5-19,999 rpm
Linear Range: 0.05-1999.9 m/min
Power Supply: 2 x AAA
Weight: 106g

- Includes various coupling attachments



Laser Tachometer

Range: 2.5 - 99,999 RPM
Sampling Range: 50 - 500 mm
Power Supply: 2 x AAA
Weight: 106 g

Supplied with 45 cm of 3M™ Reflective Tape.

PN: AC-LT900
\$129



Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedence Alarm

Range: 30-130 db
Accuracy: 1.5 db
Resolution: 0.1 db
Weight: 64g



PN: AC-SLM130
\$129

Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s
Accuracy: ±5%
Resolution: 0.1m/s
Weight: 154g



PN: AC-AM30
\$129

Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa
Units: HV, HB, HRC, HRB, HS & tensile strength MPa
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)
Min. sample thickness: 5 mm
Min. sample diameter: 22 mm
Max. sample roughness: 1.61-Jm(Ra)
Power: 3 x AAA battery
Dimensions: 121 x 68 x 30 mm



PN: AC-HL350
\$879

Coating Thickness Gauge

- Measure the thickness of non-magnetic coatings on magnetic and non magnetic substrates
- Single and continuous sampling modes
- Low, High & Average functions

Range: 0 - 1250 µm



PN: AC-CFN1200B
\$399

Roughness Tester

- Roughness value, profile & curve
- 100 samples Memory



Range: 160 µm
Resolution: (RA) 0.001 µm
Units: RA, Rz, Ry, Rq, Rp, Rm, Rt, R3z, Rmax, Sk, Sm & TP

PN: AC-SR200
\$2,599

Moisture Meter

Temp. Range: -10-60 °C
Humidity Range: 0.1 °C RH
Moisture Range: 2-40/50/60/70% (for wood samples)



PN: AC-WMM700
\$99

Concrete Moisture Meter

Range: 0-40%
Resolution: 0.5 %
Accuracy: ±2%



PN: AC-WMM900
\$479

Laser Distance & Level Meters

- Functions: Distance, Area, Volume, Indirect distance,
- Maximum & Minimum Memory
 - Laser Sight
 - Built-in Spirit Level
 - IP54 Protection Level
 - Back-light LCD Display
 - Battery Power Indicator
 - 1/4"-20 UNC Tripod Mount

Accuracy: 1.5 mm
Units: Metre/Inch/Foot
Light spot: Ø8 mm @ 40 m
Memory: 20 data points
Power: 2 x AAA
Weight: 110 g



40 Meter Range
PN: AC-TM40
\$129



100 Meter Range
PN: AC-TM100
\$269

Dual Scale Digital Temperature & Humidity Monitor



- Measuring Unit °C/°F
- Records Max. & min. temperature & humidity
- Time, Date & Month display
- 12 or 24 hour display modes
- Daily alarm function
- Alternating display function


Temperature Range: Indoor: -10 - +50°C
Humidity Range: indoor 20% - 99%
Power supply: 1.5V (AAA size) x1
Size 96W mm x 105H mm

PN: AC-HTC-1
\$39

200x Digital Wifi Microscope

- Capture pictures or video
- Measuring software & calibration rule included
- 8 LED Light array

Resolution: 2 Megapixel
Magnification: 10 - 200x
Interface: USB2.0 or WiFi



Connects to any Wifi enabled Laptop, Phone or Tablet.

PN: AC-WIFI200
\$509

Infrared Thermometers & Imaging

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
 - Battery Power Indicator
 - Mutable sample capture alarm
 - Back-light LCD Display
 - 1/4"-20 UNC Tripod Mount
 - Laser Sight

950° Infrared Thermometer

Range: -50 to 950 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT700
\$189



1650°C Infrared Thermometer

Range: -50 to 1650 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT1650S
\$519

Infrared Thermal Imaging Camera

- Multiple IR & Visible Band Display Modes
- Built-in USB / WIFI data interface
- 8 thermal image map modes

Thermal range: -10°C - 450°C
Resolution: 220 x 160 IR / 640 x 480 Visible
Frame rate: 9Hz IR / 25Hz Visible
Display size: 88 mm
Image storage: 20,000 images (8 Gb)
Protection level: IP54



88 mm
220 x 160
IR DISPLAY

PN: AC-ITC450
\$1,895

Metric Outside Micrometers



SIZES AVAILABLE UP TO 1000 mm

- Carbide measuring faces
- Setting standard included
- Ratchet stop

25 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-001-01
Accuracy: 4 µm
Jaw Reach: 29 mm **\$69**

50-75 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-003-01
Accuracy: 5 µm
Jaw Reach: 53 mm **\$89**

100-125 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-005-01
Accuracy: 6 µm
Jaw Reach: 65 mm **\$129**

25-50 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-002-01
Accuracy: 4 µm
Jaw Reach: 39 mm **\$79**

75-100 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-004-01
Accuracy: 5 µm
Jaw Reach: 65 mm **\$99**

Imperial Outside Micrometers



SIZES AVAILABLE UP TO 40"

- Carbide measuring faces
- Setting standard included
- Ratchet stop

1" mm Outside Micrometer

Graduation: 0.0001" PN: AC-324-001-01
Accuracy: ±0.00015"
Jaw Reach: 29 mm **\$79**

2-3" mm Outside Micrometer

Graduation: 0.0001" PN: AC-324-003-01
Accuracy: ±0.0002"
Jaw Reach: 53 mm **\$110**

4-5" Outside Micrometer

Graduation: 0.0001" PN: AC-324-005-01
Accuracy: ±0.00025"
Jaw Reach: 65 mm **\$139**

1-2" mm Outside Micrometer

Graduation: 0.0001" PN: AC-324-002-01
Accuracy: ±0.00015"
Jaw Reach: 39 mm **\$89**

3-4" Outside Micrometer

Graduation: 0.0001" PN: AC-324-004-01
Accuracy: ±0.0002"
Jaw Reach: 53 mm **\$109**

Micrometer Sets

- Supplied with Calibration certificate



IMPERIAL SETS AVAILABLE

75 mm Micrometer 3 Piece Set

Set of 3 Micrometers
Range: 0-75 mm
Graduation: 0.01 mm
Accuracy: 5 µm
PN: AC-321-003-03 **\$219**

100 mm Micrometer 4 Piece Set

Set of 4 Micrometers
Range: 0-400 mm
Graduation: 0.01 mm
Accuracy: ± 4-5 µm
PN: AC-321-004-04 **\$369**

150 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 0-150 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-006-06 **\$599**

300 mm Micrometer 12 Piece Set

Set of 12 Micrometers
Range: 0-300 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-012-12 **\$1669**

150-300 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 150-300 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm
PN: AC-321-012-06 **\$1199**

Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
 - Carbide measuring faces
 - Ratchet stop.

25 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 mm
Accuracy: 3 µm
Jaw Reach: 25 mm
PN: AC-313-001-02 **\$279**

25-50 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 mm
Accuracy: 3 µm
Jaw Reach: 32 mm
PN: AC-313-002-02 **\$329**

3 Piece Measuring Tool Set

150 mm Digital Caliper
Resolution: 0.01 mm
Accuracy: ±0.03 mm

25 mm Outside Micrometer
Graduation: 0.01 mm
Accuracy: 4µm

Beveled Square
Size: 100 x 70mm
DIN875 grade 0
Squareness: 7µm



PN: AC-280-000-13
\$299

Micrometer Stand



Micrometer not included.

PN: AC-381-000-00
\$55

Tubular Inside Micrometer Sets



- Carbide measuring faces

50-300 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm
Graduation: 0.01 mm
PN: AC-352-012-01 **\$399**

50-600 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm
Graduation: 0.01 mm
PN: AC-352-024-01 **\$499**

Telescopic Gauge Set

Handle lengths: 115-137 mm
Gauge sizes: 8-12.7 mm, 12.7-19 mm, 19-32 mm, 32-54 mm, 54-90 mm & 90-150 mm



PN: AC-951-006-01
\$89

1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Includes with 7 probes



Range: 0-3mm
Graduation: 0.01 mm
Size: 150 x 60 x 33 mm

PN: AC-297-003-11
\$339



300 MM Dual Scale Digital Output Height Gauge

Range: 0-300 mm/0-12"
Resolution: 0.01 mm/0.0005"
Accuracy: ±0.04 mm
Beam Width: 23 mm
External Jaw Reach: 80 mm
Length: 470 mm

PN: AC-181-012-11
\$549



Depth Caliper & Micrometers

25 mm Digital Depth Caliper

- USB data output

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-176-001-11
\$159



200 mm Digital Depth Caliper

PN: AC-171-008-11
\$199

300 mm Digital Depth Caliper

PN: AC-171-012-11
\$399

500 mm Digital Depth Caliper

PN: AC-171-020-11
\$749

Resolution: 0.01 mm
Accuracy: ±0.03 mm





Dual Scale Stainless Rulers



150 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"
 PN: AC-990-006-11
\$13

600 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"
 PN: AC-990-024-11
\$49

300 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"
 PN: AC-990-012-11
\$20

1000 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"
 PN: AC-990-040-11
\$69

Straight Edge Rulers



300 mm Straight Edge Ruler

Graduations: 1 mm
 Beam Width: 40 mm
 Length: 300 mm
 PN: AC-991-012-01
\$149

500 mm Straight Edge Ruler

Graduations: 1 mm
 Beam Width: 40 mm
 Length: 500 mm
 PN: AC-991-020-01
\$229

1000 mm Straight Edge Ruler

Graduations: 1 mm
 Beam Width: 50 mm
 Length: 1000 mm
 PN: AC-991-040-01
\$489

Double Ended Scriber

- Nickel plated with Hardened tips
 - Knurled handle
- Length: 250 mm



PN: AC-995-009-01
\$19

Radius Gauge Sets



- Includes concave & convex gauge for each size

1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34
\$39

7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm

PN: AC-941-015-32
\$39

15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30
\$39

Dividers & Calipers



200 mm Inside Spring Caliper

Range: 18-190 mm
 Length: 200 mm
 PN: AC-982-008-01
\$39



200 mm Spring Divider

Range: 0-190 mm
 Length: 200 mm
 PN: AC-985-008-01
\$39



200 mm Outside Spring Caliper

Range: 0-190 mm
 Length: 200 mm
 PN: AC-984-008-01
\$39



200 mm Dividing Caliper

Range: 0-190 mm
 Length: 200 mm
 PN: AC-986-008-01
\$39

300 mm Inside Spring Caliper

Range: 18-290 mm
 Length: 300 mm
 PN: AC-982-012-01
\$49

300 mm Spring Divider

Range: 0-290 mm
 Length: 300 mm
 PN: AC-985-012-01
\$49

300 mm Outside Spring Caliper

Range: 0-290 mm
 Length: 300 mm
 PN: AC-984-012-01
\$49

300 mm Dividing Caliper

Range: 0-290 mm
 Length: 300 mm
 PN: AC-986-012-01
\$49

500 mm Inside Spring Caliper

Range: 25-490 mm
 Length: 500 mm
 PN: AC-982-020-01
\$79

500 mm Spring Divider

Range: 0-490 mm
 Length: 500 mm
 PN: AC-985-020-01
\$79

500 mm Outside Spring Caliper

Range: 0-490 mm
 Length: 500 mm
 PN: AC-984-020-01
\$79

500 mm Dividing Caliper

Range: 0-490 mm
 Length: 500 mm
 PN: AC-986-020-01
\$69

Wide Base Machinist Squares (Grade 2)

100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β): 30 μm
 Base size: 19H x 12W x 70L mm
 Blade Thickness: 3 mm

PN: AC-845-004-02
\$39

150 mm Wide Base Machinist Square

Squareness: (α) 33 μm (β): 35 μm
 Base size: 25H x 16W x 100L mm
 Blade Thickness: 3 mm

PN: AC-845-006-02
\$59

200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β): 40 μm
 Base size: 32H x 16W x 130L mm
 Blade Thickness: 4 mm

PN: AC-845-008-02
\$69

300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β): 50 μm
 Base size: 32H x 19W x 200L mm
 Blade Thickness: 4 mm

PN: AC-845-012-02
\$99

600 mm Wide Base Machinist Square

Squareness: (α) 75 μm (β): 80 μm
 Base size: 50H x 30W x 350L mm
 Blade Thickness: 6 mm

PN: AC-845-024-02
\$389



Thread Gauge Sets



Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm
 Whitworth 55° Range: 4-62 TPI

PN: AC-925-062-52
\$38

Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm

PN: AC-922-006-24
\$26

Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI

PN: AC-924-042-30
\$28

Circumference Tape



60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm
 Graduation: 0.1 mm

PN: AC-956-012-11
\$42

940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm
 Graduation: 0.1 mm

PN: AC-956-028-11
\$59

2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm
 Graduation: 0.1 mm

PN: AC-956-044-11
\$79

Combination Squares

Combination Square

90° or 45° square
90° square accuracy: ±8',
45° square accuracy: ±10'

**Wear Resistant
Cast Iron Head**



PN: AC-817-090-12
\$139

Combination Square Set

Circle Centre Finder 90° or 45° square
Accuracy: ±0.15 mm 90° square accuracy: ±8',
Ruler range: 300 mm / 12" 45° square accuracy: ±10'

Protractor
Range: 0-180°
Accuracy: ±7'

PN: AC-817-180-02
\$269



Marking Gauges

100 mm Centre Marking Gauge

Range: 4-90 mm Ø
Accuracy: ±0.15 mm

PN: AC-993-004-01
\$129

150 mm Centre Marking Gauge

Range: 4-90 mm Ø
Accuracy: ±0.15 mm

PN: AC-993-006-01
\$159



Angle Finders

150 mm / 180° Angle Finder

Length: 150 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-005-01
\$69

200 mm / 180° Angle Finder

Length: 200 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-006-01
\$99

300 mm / 180° Angle Finder

Length: 300 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-008-01
\$129

500 mm / 180° Angle Finder

Length: 500 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-012-01
\$189



Combination Rulers



200 mm Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-008-01
\$109

300 mm Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-012-01
\$129

Radius & Hole Gauges

Radius Gauge Set



Range: 0.5-13 mm
Accuracy: ±0.05 mm
Increments: 0.5 mm

PN: AC-942-013-26
\$109

Small Hole Gauge Set

Range: 3-13 mm




PN: AC-952-004-01
\$59

Welding Gauges

Fillet Weld Gauge

Sizes: 3, 4, 5, 6, 8,
9, 10, 11, 12,
14, 16, 19,
22 & 25 mm
Accuracy:
0.5 mm

PN: AC-977-025-01
\$69




Welding Gauge

Range: 0-6 mm
Porosity Comparison
Range: 1.5 & 3 mm
Graduation: 0.5 mm
Accuracy: 0.5 mm

PN: AC-978-006-01
\$69



Feeler Gauges



200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 200 mm

PN: AC-914-100-20
\$49

150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 150 mm

PN: AC-913-100-20
\$39

300 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 300 mm

PN: AC-915-100-20
\$49

Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 mm
Imperial Range: 0.127" - 0.762"
Blade Length: 100 mm



PN: AC-919-030-26
\$49

Tapered Feeler Gauge

Metric Range: 0.03-1.00mm
Blade Length: 100 mm

- Meets DIN2275
- Accuracy: ±(3+T/80) µm,



PN: AC-912-100-32
\$29

Feeler Tapes

Size: 13 mm x 5 m
Accuracy: ±4 µm



0.02 mm Feeler Tape

PN: AC-916-002-01
\$49

0.04 mm Feeler Tape

PN: AC-916-004-01
\$44

Protractor & Levels

Digital Level & Protractor

- Magnetic V-groove Base



Size: 150 mm x 60 mm x 33 mm
Accuracy : ±0.1°(at 0°/90°/180°/270°)
±0.2°(other direction)
Resolution: 0.05°

PN: AC-722-360-01
\$219

Digital Protractor

- Functions: Zero point, ABS, Hold
- Level Vial



Range: 360°
Resolution: 0.05°
Accuracy: ±0.15°
Length: 250 mm

PN: AC-726-360-01
\$209

Digital Level

- Magnetic base

Range: 0-360°
Resolution: 0.1°
Dimensions:
59 x 59 x 28 mm
Accuracy: ±0.1°
±0.2°(other directions)

PN: AC-721-180-01
\$129



200 mm Frame Level

- Two vee & two flat reference faces

Sensibility:
0.02 mm / m per division
Size: 200 x 200 x 35 mm



PN: AC-711-008-02
\$379

600 mm Digital level

- Functions as level or protractor
- Absolute horizon memory
- Back-light Display
- Magnetic base



Units: Degrees, Slope %, mm/m & In/Ft Pitch.
Resolution: 0.1°

PN: AC-725-360-01
\$199

Block Levels



- 140° Vee Groove

Sensibility: 0.02 mm / m per division

150 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-006-02
\$329

200 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-008-02
\$369


300 mm Block Level

Size: 300 x 40 x 45 mm

PN: AC-713-012-02
\$409

1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Stainless Carbide Burrs also available.

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	\$45
3	2 3/8"	CBSE3	\$66
5	2 5/8"	CBSE5	\$88

Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	\$45
3	2 1/2"	CBSF3	\$66
5	2 3/4"	CBSF5	\$88

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	\$45
3	2 1/2"	CBSG3	\$66
5	2 3/4"	CBSG5	\$88

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	\$45
3	2 1/2"	CBSA3	\$66
5	2 3/4"	CBSA5	\$88

End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	\$45
3	2 1/2"	CBSB3	\$66
5	2 3/4"	CBSB5	\$88

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	\$45
3	2 1/2"	CBSC3	\$66
5	2 3/4"	CBSC5	\$88

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	\$45
3	2 1/8"	CBSD3	\$66
5	2 1/4"	CBSD5	\$88

Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	\$45
3	2 1/2"	CBSH3	\$66
5	3"	CBSH5	\$88

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	\$45
3	3"	CBSL3	\$66
5	3"	CBSL4	\$88

Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	\$45
3	2 1/2"	CBSM4	\$66
5	2 3/4"	CBSM5	\$88

Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	\$45
3	2 1/8"	CBSN3	\$66
5	2 1/4"	CBSN5	\$88

60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	\$45
3	2 1/4"	CBSJ3	\$66
5	2 3/8"	CBSJ5	\$88

90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	\$45
3	2 1/8"	CBSK3	\$66
5	2 1/8"	CBSK5	\$88

1/4" Extended Carbide Burrs

6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	\$105
End Cut Cylinder	CBSB3L6	\$105
Radiused Cylinder	CBSC3L6	\$105
Ball	CBSD3L6	\$105
Oval	CBSE3L6	\$105
Radiused Tree	CBSF3L6	\$105
Pointed Tree	CBSG3L6	\$105
Radiused Cone	CBSL3L6	\$105

6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	\$105
Ball	CBSD3L6NF	\$105
Oval	CBSE3L6NF	\$105
Radiused Tree	CBSF3L6NF	\$105
Flame	CBSH3L6NF	\$105

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"



NG6 NEXT GENERATION ACCELERATOR

Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burrs.*



Radiused Tree Burrs

Size	Length	PN	Price
3	2 1/2"	CBSF3NG6C	\$83
5	2 3/4"	CBSF5NG6C	\$115

Radiused Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSC3NG6C	\$83
5	2 3/4"	CBSC5NG6C	\$115

Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSA3NG6C	\$83
5	2 3/4"	CBSA5NG6C	\$115

Ball Burrs

Size	Length	PN	Price
3	2 1/8"	CBSD3NG6C	\$83

NG6 Burr Sets

3/8" Head
NG6 Coated
3 Piece Burr Set

\$249
PN: CBSET3NG6C

1/2" Head
NG6 Coated
3 Piece Burr Set
Shank Dia: 1/4"

\$379
PN: CBSET35NG6C



1/4" & 3/8" Head NG6 Coated
8 Piece Burr Set

Shank Dia: 1/4"



\$419
PN: CBSET8NG6C

* NG6 Coated Burrs should be operated at a minimum of 25,000 RPM.

1/4" Shank Non-ferrous Carbide Burrs

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1NF	\$66
3	2 1/2"	CBSA3NF	\$83
5	2 3/4"	CBSA5NF	\$105

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1NF	\$66
3	3"	CBSL3NF	\$83
5	3"	CBSL4NF	\$105

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1NF	\$66
3	2 1/2"	CBSC3NF	\$83
5	2 3/4"	CBSC5NF	\$105

Cone Burrs

Size	Length	PN	Price
3	2 1/2"	CBSM4NF	\$105

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1NF	\$66
3	2 1/8"	CBSD3NF	\$83
5	2 1/4"	CBSD5NF	\$105

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1NF	\$66
3	2 1/2"	CBSG3NF	\$83
5	2 3/4"	CBSG5NF	\$105

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1NF	\$66
3	2 3/8"	CBSE3NF	\$83
5	2 5/8"	CBSE5NF	\$105

Radiused Tree Burrs


Size	Length	PN	Price
1	2"	CBSF1NF	\$66
3	2 1/4"	CBSF3NF	\$83
5	2 3/8"	CBSF5NF	\$105

1/8" Carbide Burrs

1/8" Shank Carbide Burrs are available in the following head diameters:

Size 00 3/32" Head


Size 0 1/8" Head



Shape	Size	PN	Price
Cylinder	0	CBSA43	\$28
Cylinder	00	CBSA42	\$28
Radiused Cylinder	0	CBSC41	\$28
Radiused Cylinder	00	CBSC42	\$28
Ball	0	CBSD42	\$28
Oval	0	CBSE41	\$28
Radiused Tree	0	CBSF42	\$28
Pointed Tree	0	CBSG43	\$28
Radiused Cone	0	CBSL42	\$28
Cone Burr	0	CBSM42	\$28

Carbide Burr Operating Guide

These are recommended speeds for **Standard Length Burrs** with no more than a 1/2" overhang from the die-grinder collet. **NG6 Coated Burrs** should be operated at a minimum of 25K. **Extended Burrs** are generally subject to much lower maximum safe speeds.





Automotive Screw Kits

Japanese Sems Fine Hex Bolts

140 piece kit includes an assortment of M5x16, M5x20, M5x25, M6x16, M6x20, M6x25, M8x16, M8x20, M8x25 & M8x30 Japanese Automotive Fine Hex Sems screws.



\$50

PN: AAK01

Pan Compi (Sems) Machine Screws

180 piece kit includes an assortment of 8 types of Pan Compi Machine Screws, ranging from M3x25, M5x12, M5x16, M5x20, M5x25, M6x16, M6x20 & M6x25.



\$41

PN: AAK07

Japanese Sems Hex Bolts

50 piece kit includes an assortment of 8 types of Fine and Standard Course Japanese Automotive Hex Sems Screws ranging from M8x1.25x35 to M10x1.25x40.



\$54

PN: AAK02

DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



\$47

PN: AAK17

Japanese Sems Hex Fender Screws

130 piece kit includes an assortment of 8 types of hex (sems) fender screws (JIS spec), ranging from No.8 (4.2 mm x 16) to No.14 (6.3 mm x 19).



\$49

PN: AAK03

DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



\$56

PN: AAK18

Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



\$38

PN: AAK04

DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



\$51

PN: AAK19

Automotive Electrical Kits

Spade, Flag, Butt & Bullet Connectors

110 piece kit includes an assortment of 19 types of spade, flag, butt & bullet connectors, in a variety of Blue Red & Yellow.



\$57

PN: AAK21

Medium Blade Fuses

50 piece kit includes an assortment of 10 types of Medium Blade Fuses, ranging from 7.5 AMP, 10 AMP, 15 AMP, 20 AMP, 25 AMP, 35 AMP, 40 AMP Fuses.



\$41

PN: AAK24

Pre-Insulated Electrical Terminals

125 piece kit includes an assortment of 20 types of pre-insulated Round and Male Bullet electrical terminals, in a variety of Blue, Red, & Yellow.



\$57

PN: AAK22

Heat Shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C, voltage rating up to 600V, a shrink ratio of 2:1 and compliances with RoHS, cRU, CSA.



\$39

PN: AAK33

Automotive Clip & Split Pin Kits

Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 mm to (No.14) 6.3 mm Speed Clips and 5 & 6 mm Speed Nuts.



\$55

PN: AAK05

DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



\$44

PN: AAK20

DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 mm dia. x 25 mm to 5 mm dia. x 63 mm Split Pins.



\$44

PN: AAK08

Internal Circlips

120 piece kit includes an assortment of 16 types of internal circlips, ranging from M5 to M24.



\$47

PN: AAK29

DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 mm dia. x 32 mm to 5 mm dia. x 50 mm Split Pins.



\$65

PN: AAK09

External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



\$47

PN: AAK30

Automotive Grease Nipple Kits

Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



\$58

PN: AAK15

Grease Nipples - Large Kit

100 piece kit includes an assortment of 8 types of grease nipples ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90°, GN36 M8x1x45° Grease Nipples.



\$98

PN: AAK16



Automotive Nut, Bolt & Stud Kits

Japanese Automotive Nuts

140 piece kit includes an assortment of 10 types of fine & course Japanese automotive nuts, ranging from M6x1.25 to M12x1.5.



\$40

PN: AAK06

Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



\$80

PN: AAK11

Self Locking Nuts

100 piece kit includes an assortment of 9 types of Nyloc & All Metal Self Locking, in Extra Fine, Fine & Course, ranging from M6 to M12.



\$42

PN: AAK10

Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



\$68

PN: AAK26

Automotive Washer Kits

DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



\$61

PN: AAK12

Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 mm) to M16 (16.1 x 22 x 0.8 mm).



\$53

PN: AAK13

DIN 6798 Internal & External Star Washers

300 piece kit includes an assortment of 10 types of DIN 6798 internal & external star washers, ranging from M5, M5, M6, M6, M8, M8, M10, M10, M12 & M12.



\$33

PN: AAK14

Automotive O-Ring Kits

Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 mm ID x 1.78 mm) to 13/16" ID x 5/32" (20.22 mm ID x 3.53 mm).



\$47

PN: AAK31

NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 mm ID x 2.0 mm CS (R-01) to 44 mm ID x 4.0 mm CS (R-30).



\$74

PN: AAK32

Driver Kits

Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 mm Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Pozi Bits, No.1x50 long Pozi Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



\$115

PN: HAK39

Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$33

PN: HAK06

Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$36

PN: HAK07

Rivet Kits

Aluminum Pop Rivets

300 piece kit includes an assortment of AS 40-10, AS 40-12, AS 48-10, AS 48-12, AS 48-15, AS 48-18 Aluminum Pop Rivets and AS 48-10 & AS 48-12 Aluminum White Pop Rivets.



\$36

PN: HAK15

Alum. C'sunk & Large Flange Pop Rivets

200 piece kit includes an assortment of 32-10, 48-12, 48-15, 48-18 Countersunk Rivets and 40-12, 40-15, 48-10, 48-15 Large Flange Rivets.



\$33

PN: HAK16

Penny Washer Kits

Small Fender (Penny) Washers

300 piece kit includes an assortment of M3x12.5, M4x 16, M4x12.5, M5x 16, M5x25, M6x 19, M6x22 & M6x32 Zinc Plated Fender (Penny) Washers.



\$41

PN: HAK13

Large Fender (Penny) Washers

150 piece kit includes an assortment of M6x25, M8x 19, M8x25, M8x32, M10x25, M10x30, M12x30, M12x40 Zinc Plated Fender (Penny) Washers.



\$33

PN: HAK14

Nut & Bolt Kits

Mild Steel Zinc Plated Nuts & Bolts

150 piece kit includes an assortment of 8 types of Mild Steel Zinc Plated M6 & M8 nuts & bolts, ranging from, M6x25, M6x16, M8x20, M8x25, M8x30 & M8x40.



\$39

PN: HAK11

Zinc Plated Hex Nuts

200 piece kit includes an assortment of 8 types of DIN 934 Zinc Plated Hex Nuts, ranging from M4, M5, M6, M8, M10, M12, M14 & M16.



\$33

PN: HAK12

Self Tapping Screws

Pan Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan pozi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$50

PN: HAK01

Pan Combi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan combi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$50

PN: HAK03

HB-Series Storage Bins

Geiger Small Short Bin

Size: 105W x 137D x 76H mm



\$6 ea

- PN: HB210B
- PN: HB210R

Geiger Small Bin

Size: 105W x 187D x 76H mm



\$7 ea

- PN: HB220B
- PN: HB220R

Geiger Medium Bin

Size: 140W x 276D x 127H mm



\$13 ea

- PN: HB230B
- PN: HB230R

Geiger Large Short Bin

Size: 210W x 273D x 178H mm



\$22 ea

- PN: HB239B
- PN: HB239R

Geiger Medium Duplex Bin

- Includes duplex divider

Size: 279W x 276D x 127H mm



\$19 ea

- PN: HB235B
- PN: HB235R

Geiger Large Duplex Bin

- Includes duplex divider

Size: 420W x 375D x 178H mm




\$32 ea

- PN: HB250B
- PN: HB250R


Mobile HB Storage Cart

Make your HB bins mobile with this hanging display unit with caster wheels (2 with brakes). This is an excellent time and space saver for any workshop.



HB Bins are easily detached from the storage cart, making it easy to take only what you need to the work area, while keeping items organized.

Includes Heavy Duty Galvanized Steel Cart with 72 x HB220 and 32 x HB230 bins, in combination of ● Blue or ● Red.
Overall Size:
740W x 560D x 1460H mm




\$1,199

PN: MS20020K

Wall Mountable

All HB series bins can be wall mounted when combined with HP Hanging Panels (see HP1 & HP1KIT). HP Panels can be tiled together and mounted horizontally or vertically.



Free Standing Bench Storage

Included with all HB bins are four interlocking legs which create free-standing versatile bench storage.

Set of 2 Hanging Panels

Includes 2 Panels, screws & wall plugs.
Size: 605W x 455H x 8D mm

\$83

PN: HP1



Heavy Duty A-Series Parts Cabinets

ST2



Drawer Size: 120W x 210D x 55H mm

60 Drawer Parts Cabinet

\$669

PN: ST2460

Size: 586W x 222D x 937H mm

A5



Drawer Size: 163W x 289D x 69H mm

36 Drawer Parts Cabinet

\$625

PN: A5336

Size: 586W x 290D x 937H mm

24 Drawer Parts Cabinet

\$489

PN: A5324

586W x 290D x 640H mm

A7



Drawer Size: 120W x 218D x 69H mm

48 Drawer Parts Cabinet

\$499

PN: A7448

Size: 586W x 222D x 937H mm

24 Drawer Parts Cabinet

\$339

PN: A7324

Size: 444W x 222D x 642H mm

16 Drawer Parts Cabinet

\$249

PN: A7416

Size: 586W x 222D x 350H mm

A8



Drawer Size: 90W x 218D x 70H mm

60 Drawer Parts Cabinet

\$595

PN: A8560

Size: 586W x 222D x 937H mm

32 Drawer Parts Cabinet

\$359

PN: A8432

Size: 466W x 222D x 642H mm

15 Drawer Parts Cabinet

\$239

PN: A8315

Size: 355W x 222D x 415H mm

Heavy Duty A7 Parts Cabinets

Each drawer comes with 2 movable dividers.
The front face of each drawer features a window.

Lockable 48 Drawer Parts Cabinet

Size: 586W x 270D x 970H mm

\$799

PN: A7448D

Lockable 24 Drawer Parts Cabinet

Size: 444W x 270D x 677H mm

\$669

PN: A7324D



LOCKABLE DOORS

Steel HD Series Parts Cabinets

HD cabinets take up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The front face of each drawer features a window which makes it easy to identify the contents.

15 Drawer Steel Parts Cabinet

Size: 880W x 400D x 440H mm
Drawer size: 160W x 110H x 410D mm



\$575

PN: HD515

18 Drawer Steel Parts Cabinet

Size: 550W x 400D x 880H mm
Drawer Size: 160W x 110H x 410D mm

30 Drawer Steel Parts Cabinet

880W x 400D mm x 880H mm
Drawer size: 160W x 110H x 410D mm



\$699

PN: HD318



\$945

PN: HD530

HD-Series Storage Bins

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.
Size: 880W x 400D x 1725H mm



The HD drawers are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit and feature transparent windows for easy parts identification.

Each drawer comes with 2 movable dividers and is acid and oil resistant.
Drawer size: 140W x 370D x 100H mm

HD Drawer

Internal size: 140W x 370D x 100H mm
Can take up to 7 Dividers



\$20

PN: HD1641

60 Drawer HD Series Steel Parts Cabinet

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.
880W x 400D x 1725H mm



\$1,799

PN: NHD560

Multi Function Storage Bin

Includes bin and lid. Made from high impact polypropylene.
Size: 450W x 360D x 250H mm

The NHA3645 bins can be stacked without a lid or nested together when not being used.

Rotate and nest bins together.

Stack bins with no lid needed.



\$38

PN: NHA3645K



HD Drawer Dividers

Packet of 10



\$20

PN: HD1641DIV

30 Drawer Parts Cabinet

980W x 400D x 1010H mm
(inc handle and caster wheels)



\$1,155

PN: NHD530

Multi-Function Bins & Crates

Jumbo Storage Bin

Includes removable two stage folding lid. Made from impact resistant polypropylene.
Size: 395W x 635D x 335H mm



TAKES UP TO 30KG!

50 LITRE CAPACITY!

\$75

PN: HB4068B

Foldable Crates

Stackable in both collapsed and extended configuration

Size: 535W x 360D x 280H mm
Collapsed Height: 50 mm

SPACE SAVING COLLAPSIBLE DESIGN



\$51

PN: FB5336B

Workshop Stools & Creepers

Workshop Stool

- 100 mm swivel casters, with 2 lockable
 - Centre mounted pull out drawer
 - Metal Frame
- Size: 670L x 330D x 380H mm
Max. Load: 130 Kg



PULL OUT DRAWER

\$179
PN: GWS

Adjustable Hydraulic Stool

- Adjustable seat height
- 4" swivel wheels (2 lockable)
- Wide HDPE double walled seat
- Bottom Organiser tray
- Metal Frame

Height Range: 450-560 mm
Size: 540L x 390W x 560H mm
Max. Load: 150 Kg



STEEL FRAME →

\$255
PN: GAHS

Mechanics Creeper

- Size: 1005 x 470 x 135 mm
Wheel Size: 75 x 25 mm
- Integrated side trays
 - Made in Taiwan

STEEL REINFORCED CASTER MOUNTS



150 kg Load Rating

\$189
PN: GCR40

Workshop Trolleys

Plastic Parts Trolley

- Rounded corners protect walls & furniture
- Soft 4" PVC wheels (2 lockable)
- Deep Pocket shelves
- Handles both ends

Size: 82 x 47 x 105cm
Capacity: 130 Kg



MADE FROM HDPE PLASTIC

\$285
PN: GT3SP

Compact Heavy Duty Parts Trolley

- 3 Shelves
- 1.6 mm steel uprights.

Size: 410W x 760D x 885H mm (including handle)



MAX RATING 150KG

\$295
PN: GT3S

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- 1.6 mm steel uprights.

Size: 470W x 785D x 825H mm (including handle)



MAX RATING 150KG

\$355
PN: GT3SD

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- Enclosed front & rear for extra rigidity.
- Takes up to 100 Kg per shelf, max total weight 200 Kg per unit.

Size: 500W x 873D x 880H mm (including handle)



LOAD RATING 200KG

\$589
PN: CTH5086

Wall mountable Pivot Drawers

Pivot drawers slot together vertically or horizontally, to be safely mounted to walls or benches. Windowed drawers keep all your spare parts in plain sight with reduced exposure to dust, moisture or other contaminants.

8 Compartment Pivot Drawer Set

Size: 300W x 200H x 67D mm



\$38
PN: FO308

6 Compartment Pivot Drawer Set

Size: 300W x 250H x 106D mm



\$38
PN: FO306

5 Compartment Pivot Drawer Set

Size: 600W x 150H x 123D mm



\$52
PN: FO605

4 Compartment Pivot Drawer Set

Size: 600W x 200H x 167D mm



\$69
PN: FO604

Single Sided 46 Bin Pivot Drawer Cart

- Includes
2 x FO308, 2 x FO306,
2 x FO605 & 2 x FO604,
46 bins in all

\$899
PN: MSFO4568

Double Sided 92 Bin Pivot Drawer Cart

- Includes 4 x FO308,
4 x FO306, 4 x FO605 &
4 x FO604, 92 bins in all

\$1,399
PN: MSFO4568X2

Cart Size: 690W x 560D x 1460H mm

UP TO 92 BINS OF STORAGE!



Deburring Hex Body Handle with Pocket Clip

Aluminium 8 mm Hex body handle with pocket clip & non-replaceable C-10 blade.



\$9

PN: GD86110

Hex Body Handle with C-10 Blade

10 mm Hex Handle Deburring Tools A/F Hex. Aluminium body handle with replaceable GDSC10 blades.



\$16

PN: GD86060

Micro 2.6 MM Quick Release Deburrer

Holds all 2.6 mm Ø Deburring Blades Includes Blade.



\$23

PN: GDMC1

6 MM Heavy Duty Quick Release Deburrer

- Removable cap for blade storage
- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm General Purpose Blade (GDSR10S).



\$37

PN: GDSRSDMKK

Telescopic Multifunction Deburring Tool

Multi-Component Handle (GDSTSDMK) & blade holder

Includes Standard Deburring blades: GDSC10, GDSC15, GDSC20, GDSC30 & GDSC35



\$55

PN: GD38325

Double Deburrer

- Deburrs both sides of workpiece at same time
- Perfect for sheet metal finishing
- Finger guard

REPLACEABLE BLADES



\$31

PN: GDDB

24 Piece Deburring Set

Set includes a comprehensive range of Multi-Component and Quick Release Handles, 2.6, 3.2, & 6 mm Blades, Double Sided, Key-Way, Countersink Blades and a ceramic blade.

DEBURR ANYTHING FROM PLASTIC TO STAINLESS STEEL!



\$295

PN: GD88030

Quick Release Handle with 3.2 MM MC-blades

3.2 mm Standard Quick Release Handle (GDSDSMDK) with Multi-cutting Edge Deburring blades: GDSMC10, GDSMC20, GDSMC101



\$39

PN: GD38333

Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes:
3.2 mm Standard Quick Release Handle (GDSDSMDK)
Standard 3.2 mm Deburring blades:
2 x GDSC10, 2 x GDSC101,
2 x GDSC15, 2 x GDSC20,
1 x GDSC30, 1 x GDSC35



\$53

PN: GD88040

Hex-Drive Ratchet Handle

- Quick release locking collar firmly retains driver bit unless collar is depressed
- Ratchet direction collar with clockwise, anticlockwise and locked functions.



\$52

PN: GD46030

Drive: 1/4" Hex

Hex-Drive Pipe Deburring Bits

- Quickly deburr internal & external edges of cylindrical work pieces with superior results.
- Can be used with power tools, by hand or with a Hex-Drive Ratchet Handle (PN: GD46030 Above)
- Made from (M2 Grade) HSS



Drill not included.

Hex-Drive Pipe Deburring Tools

Range: 4-42 MM
Angle: 60°

\$195

PN: GD34265

Range: 4-42 MM
Angle: 45°

\$175

PN: GD34295

Pipe Deburring Hand Tools

Range: 4-42 MM
Angle: 60°

\$179

PN: GD34260

Range: 4-42 MM
Angle: 45°

\$149

PN: GD34290

Heavy Duty Hex-Drive Pipe Deburring Bits

Max Speed: 1,800 RPM

OD Range: 16-31 MM
ID Range: 16-35 MM
Angle: 45°

\$110

PN: GD16319-2F

OD Range: 16-31 MM
ID Range: 16-35 MM
Angle: 60°

\$110

PN: GD16316-2F

OD Range: 22-42 MM
ID Range: 22-46 MM
Angle: 45°

\$135

PN: GD22429-2F

OD Range: 22-42 MM
ID Range: 22-46 MM
Angle: 60°

\$159

PN: GD22426-2F

OD Range: 40-58 MM
ID Range: 40-62 MM
Angle: 45°

\$195

PN: GD40589-2F

OD Range: 40-58 MM
ID Range: 40-62 MM
Angle: 60°

\$225

PN: GD40586-2F

Hex Key Sets

Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm



\$41

PN: GXHK9M

\$50

PN: GXHK131

Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50

13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



\$52

PN: GXTX13

\$52

PN: GXTP13

Tapping Wrenches

Tap Wrench

Range: M4 to M12
Length: 280 mm



\$35

PN: GTHW

T-Handle Ratchet Tap Wrench

- Forward, Locked & Reverse Ratchet
- Slidable T-handle



Range: 5M to 12M
Length: 120 mm

\$33

PN: GTHRW

Riveting Tool

Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$58

PN: GHTJ701

Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$115

PN: GHTTC20

Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a selection of M3 to M6 nutserts

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts



\$135

PN: GHTJ703A

2-in-1
RIVETS/NUTSERTS

INCLUDES NUTSERTS!

Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts



2-in-1
RIVETS/NUTSERTS

\$255

PN: GHTH3

Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch
- Not suitable mass production

M6 Nutsert Tool

M3, M4, M5, M8 & M10 mandrels available (sold separately)
Weight: 1.3 Kg

\$789

PN: GP400B

M8 Nutsert Tool

M10 & M12 mandrels available (sold separately)
Weight: 1.3 Kg

\$799

PN: GP200B



Steel & Aluminium Nutserts

4 mm Max. sheet thickness



PACKS OF 50

M4 Aluminium PN: NM4RNA	\$35	M4 Steel PN: NM4PNS	\$21
M5 Aluminium PN: NM5RNA	\$44	M5 Steel PN: NM5PNS	\$26
M6 Aluminium PN: NM6RNA	\$47	M6 Steel PN: NM6PNS	\$29
M8 Aluminium PN: NM8RNA	\$52	M8 Steel PN: NM8PNS	\$35
M10 Aluminium PN: NM10RNA	\$62	M10 Steel PN: NM10PNS	\$41
		M12 Steel PN: NM12PNS	\$55

Automotive Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set
- Not suitable mass production applications

Traction Power: 3,640 Ft/lbs
Stroke: 6 mm
Weight: 1.55 Kg



KUANI

\$1,150

PN: KP4258

Helping Hand Magnifier

- Features a sturdy cast iron base, two articulated alligator clamps and magnifying glass.



Main Beam: 115 mm
Arm Reach: 75 mm
Lens Dia.: 60 mm

\$33
PN: GHMM

Hollow Punch Set

Set includes:
5, 6, 8, 9, 11 & 13 mm

\$37
PN: YC516



Gasket Punch Set

14 Piece set includes:
1/4", 5/16", 3/8", 7/16", 1/2", 5/8",
3/4", 7/8", 1", 1 1/8", 1-1/4",
1-3/8" & 1-1/2"

\$105
PN: GGPS



Precision Screwdriver Set

65 piece set includes:
4 mm & 1/4" Driver Handles & Extension Bars
Hex: 0.9, 1.3, 1.5, 2.0, 3, 4, 5 & 6 mm
Slotted: 1.0 & 1.5, 2.0, 2.5, 3, 4, 5, 6 & 7 mm
Pozidriv: #0 to #3
Phillips: 000 to 3
Square: 0 to 3 mm
Sockets: 5 to 13 mm
Torx®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 & T40



\$39
PN: GXBS1465
65 PIECE SET

Socket Sets

1/4" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench, Driver Handle, 50 mm Extension, Tee Bar & Universal Joint.
Standard Socket sizes:
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, & 14 mm
Hex Bits: 3, 4, 5 & 6 mm
Phillips Bits: #1, #2, & #3
Pozidriv Bits: #1, #2 & #3
Slotted Bits: 3, 4 & 6 mm
Torx® Bits: T8, T9, T10 T15, T20, T25, T27, T30, & T40



40 PIECE SET

Magnetic Clean-Up Tools

Magnetic Clean-Up Wand

Capacity: 6.30 Kg
Length 400 mm
Weight 0.470 Kg



\$89
PN: MW001

Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length:
720-1035 mm
Head width: 377mm

\$155
PN: MB001



Magnetic Reach Extender

Head size: 96 MM
Length: 960 MM
Capacity: 4.5 Kg



\$115
PN: MRE001

HOT PRICE!

\$62
PN: GXSS1440

3/8" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench, 75 & 150 mm Extension Bars and Universal Joint.
Standard Socket sizes:
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm
Deep Socket sizes:
10, 11, 12, 13, 14, 15, 17 & 19 mm
Spark Plug Socket: 16 & 21 mm



29 PIECE SET

HOT PRICE!

\$79
PN: GXSS3829

Gear & Bearing Splitting Combination Set

Small Bearing Separator

Jaw Range: 30-50 MM
Working Range: 0-135 MM

Large Bearing Separator

Jaw Range: 50-75 MM
Working Range: 0-180 MM

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



\$245
PN: GBTK

Multi-Hydraulic Gear Puller Kit

Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 MM
Jaw Range: 75-105 MM

Gear Puller

Working Range: 25-185 MM

Set includes: Twin & Triple Leg Heads
Hydraulic Ram (12 Ton capacity)
Carbon Steel Beam
200 MM, 150 MM, & 100 MM arms
85 MM, 35 MM, Spacers,
25 MM Centre Adapter



\$589
PN: GHPK

NICRON®

LED TORCHES & HEADLAMPS

nicronlight.com.au

TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS



TWIST Pen Light



- Includes USB rechargeable battery
- Illuminated Multi-function Switch with Battery State Indicator

\$99

PN: B73R

**Brightness: 150 Lm
Intensity: 650 Cd**

Primary Beam:
LOW (60Lm)
HIGH (150Lm)

Size: 152 x 18 x 15 mm
Weight: 75g



Mini Twin-Beam Headlamp




**Brightness: 700 Lm
Intensity: 4000 Cd**

\$88

PN: H11

- High-quality anodised aluminium body
- Primary Beam: **LOW** (50Lm) **Flood Light: LOW** (35Lm)
MED (250Lm) **HIGH** (100Lm)
HIGH (500Lm) **Weight: 59g**



Mini Rechargeable Headlamp




**Brightness: 500 Lm
Intensity: 160 Cd**

\$90

PN: H17

- Anodised aluminium body
 - Angle head vertically up to 180°
 - USB-C Charge Port
- LOW** (30 Lm) **MED** (150 Lm) **HIGH** (500 Lm)
Weight: 42g



Mini TWIST Light



- Includes USB rechargeable battery
- Pen Clip

\$99 ea

**Brightness: 700 Lm
Intensity: 4000 Cd**

Primary Beam:
LOW (100Lm) **MED** (250Lm) **HIGH** (700Lm)
STROBE: (700Lm)
Size: 112 x 21 x 18 mm
Weight: 85g



PN: B74RED PN: B74BLUE

Twin-Beam Headlamp

- Anti-slip belt for mounting directly to helmets.
- Both lamps combined output 1600 Lm
- Headlamp vertical range of motion 120°
- Includes li-ion battery


Weight: 69g
Primary Beam: **LOW** (50Lm) **Flood Light: LOW** (50Lm)
MED (250Lm) **MED** (200Lm)
HIGH (500Lm) **HIGH** (400Lm)
MAX (1000Lm) **MAX** (800Lm)



\$135

PN: H35

**Brightness: 1600 Lm
Intensity: 4000 Cd**



PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


**Brightness: 950 Lm
Intensity: 10000 Cd**

Primary Beam:
LOW (10Lm) **MED** (70Lm) **HIGH** (300Lm) **MAX** (950Lm)
STROBE (950Lm)

Size: 160 x 28 mm
Weight: 220g

\$99

PN: B71pro



UV PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


**Brightness: 1000 Lm
Intensity: 3000 Cd**

Primary Beam:
LOW (100Lm) **MED** (500Lm) **HIGH** (1000Lm)
UV Light:
HIGH (395nm)

Size: 160 x 28 mm
Weight: 220g

\$115

PN: B75



Camo TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


**Brightness: 950 Lm
Intensity: 10000 Cd**

Primary Beam:
LOW (10Lm) **MED** (70Lm) **HIGH** (300Lm) **MAX** (950Lm)
STROBE (950Lm)

Size: 160 x 28 mm
Weight: 220g

\$115

PN: B70PLUS





Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B74BLUE, B74RED, B75, WL15, WL81-83-85



Integrated Battery Indicator

A dedicated built-in LED battery indicator. Applicable to PN: B400 & WL83



Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.

Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H17, H35, WL15, WL81-83-85

Mini Flashlight

\$39

PN: B10

Ingress Rating



Battery

1 x 16340 Li-ion



Brightness: 200 Lm
Intensity: 2000 Cd

Primary Beam:
LOW (30Lm)
MED (100Lm)
HIGH (200Lm)
STROBE: (200Lm)
Size: 65x 20mm
Weight: 45g

- High Capacity Li-ion Rechargeable
- Key Ring

Mini Key Chain Flashlight

\$31

PN: N1

Battery

1 x AAA

Ingress Rating



Brightness: 100 Lm
Intensity: 144 Cd

Ingress Rating: IPX7
Size: 62 x 16 mm
Weight: 15.5
Battery: 1 x AAA

Mini Focusable Flashlight

\$88

PN: F51

Ingress Rating



Battery

14500 Li-ion
1 x AA



- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 600 Lm
Intensity: 3800 Cd

Primary Beam:
LOW (100 Lm)
MED (250 Lm)
HIGH (600 Lm)
Size: 103 x 26 mm
Weight: 80g


Focusable Flashlight

\$115

PN: F81

Brightness: 1000 Lm
Intensity: 6500 Cd

Primary Beam:
LOW (50Lm)
MED (150Lm)
HIGH (500Lm)
MAX (1000Lm)
STROBE (1000Lm)
Size: 170 x 35mm
Weight: 200g



Long Range Tactical Flashlight

\$149

PN: B200




HOT PRICE!

536m RANGE!

Brightness: 1000 Lm
Intensity: 72000 Cd

Primary Beam:
LOW (100Lm)
MED (300Lm)
HIGH (1000Lm)
STROBE: (1000Lm)
Size: 235 x 59 mm
Weight: 550g



Utility Flashlight

\$63

PN: WL15



Brightness: 500 Lm
Intensity: 800 Cd

Primary Beam:
LOW (80Lm)
HIGH (200Lm)
Flood Light:
LOW (100Lm)
MED (300Lm)
HIGH (500Lm)

Size: 164 x 22 mm
Weight: 140g



Utility Flashlight


\$115

PN: WL81



Brightness: 1000 Lm
Intensity: 6000 Cd

Primary Beam:
LOW (80Lm)
MED (500Lm)
HIGH (1000Lm)
STROBE: (1000Lm)
Flood Light:
LOW (35Lm)
HIGH (250Lm)
Size: 121 x 27 mm
Weight: 110g



Extreme Tactical Flashlight

\$449

PN: B400




FREE 1.8m TRIPOD!

While stocks last.

- High Capacity Li-ion Rechargeable
- 3.5mm 12V Charge Port
- 4 CREE LED Array

Brightness: 12000 Lm
Intensity: 30000 Cd

Primary Beam:
LOW (500Lm)
MED (1000Lm)
HIGH (3000Lm)
MAX (6000Lm)
EXTREME (12000Lm)
STROBE: (6000Lm)
Size: 152 x 64 mm
Weight: 720g



2 in 1 Utility Work Lamp

\$115

PN: WL83




- Top mounted hanger
- Top mounted spot light
- Front mounted flood light
- Handle incorporates foldout stand

Brightness: 500 / 200 Lm
Intensity: 225 Cd

Primary Beam:
LOW (200Lm)
HIGH (500Lm)
Spot Light:
LOW (200Lm)

Size: 200 x 60 x 30 mm
Weight: 285g



2 in 1 Utility Work Lamp


\$110

PN: WL85



- Foldout stand with integrated hook
- Primary Beam:
LOW (12 Lm)
MED (160 Lm)
HIGH (450 Lm)
Spot Light:
LOW (60 Lm)
HIGH (280 Lm)

Size: 123 x 55 x 32 mm
Weight: 180 g



Tyre Inflaters

Dual Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$20
PN: GPA051

Flexible Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$23
PN: GPATC-2

0-60psi Tyre Pressure Gauge

Range: 0-60 PSI.
Metering: Analogue
Units: PSI & Bar
Output: Schrader valve



\$42
PN: GPATPG60

Dual Access Tyre Chuck

Inlet: 1/4" Female
Output: Schrader Valve x 2
Length: 220 mm



\$36
PN: GPA1570

Dual Access Tyre Water Chuck

Inlet: 15 mm male garden hose fitting
Output: Schrader Valve x 2
Length: 220 mm



\$39
PN: GPA1570W

Pistol Grip Tyre Inflator

- Large easy to read gauge
- Integrated purge valve
- Tyre chuck with locking lever



\$90
PN: GPA016

Range: 0-220 PSI
Metering: Analog
Units: PSI, Bar, KPA

Digital Tyre Inflator

Measuring range: 5-60 PSI
Hose Length: 30 cm
Units: PSI, Bar, kPa



\$159
PN: GP1558-4

Deluxe Tyre Inflator

Range: 0-160 PSI
Units: PSI, KPA



\$149
PN: GPA6200

Blowguns

Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.

Inlet: 3/8" Nitto fitting
Nozzle size: 4.5 x 70 mm



ALL METAL BODY!

\$28
PN: GPA9025

3/8" High Flow Blow Gun Kit

Kit includes:
High Flow Duster,
Easily Adjustable High Flow Nozzle, Heavy Duty High Flow Nozzle & Standard Nozzle.



ALL METAL BODY!

\$69
PN: GHF60AS

Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose



\$66
PN: GPB90K

Pocket Blow Gun

- Integrated metal inlet thread
 - Rubber Tip
- Length: 115 MM
Inlet: JIS Fitting
Material: Aluminium



\$16
PN: PBG-N

4" Rubber Tipped Blowgun

- Integrated metal inlet thread
 - Rubber Tip
- Length: 110 mm
Material: POM/Steel



\$20
PN: GP1562

Extendable Blow Gun

Length: 270 to 390 mm
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring

\$36
PN: GP1562E

1 Metre Blow Gun

Overall Length: 1050 mm
Inlet: 1/4" metal
Material: POM / Aluminum

- Durable all metal construction
- Foam grip



ALL METAL BODY!

\$79
PN: GP1561

Filter Cleaning Nozzle

Suitable for cleaning cylindrical filters or pipes.
SOLD SEPARATELY
Size: 15.5 dia. x 40 mm
Nozzles: 12 x 2mm



\$25
PN: GP1561FN

Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun, Vacuum Hose, brush, extended small & flat nozzles, Extendable Hose (30 to 80cm) & Dust Bag



\$125
PN: GPA0310KB

Surface Preparation

10 MM Belt Sander

Belt Size: 10 x 330 mm

\$285

PN: GP1264A



20 MM Belt Sander

Belt Size: 20 x 520 mm

\$439

PN: GP1265A

6" Dual Action Sander

Pad Size: 6" (150 mm) Velcro
Free Speed: 9,000 RPM
Orbit Diameter: 7 mm
Weight: 2.0 Kg

\$189

PN: GP1205N



Straight Line Sander

- Takes 70 x 445 mm clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 mm
Free Speed: 2,500 RPM
Weight: 2.5 Kg

\$255

PN: GP1203



5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 mm hole abrasives, thread adapter for 50 mm pad & 50 mm abrasive pads
Spindle Size: 3/8 x 24 UNF
Free Speed: 16,000 RPM
Weight: 1.2 Kg

\$169

PN: GP1204R



Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:
five 105 mm (4 inch) stripping wheels,
Spare disc hub & carry case.



\$735

PN: GP2001A

Stripping Wheels

- 1 0.5 mm Straight Wire PN: GPA2001A-1
- 2 0.55 mm Hooked Wire PN: GPA2001A-2
- 3 Abrasive Stripping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

\$52 ea

Sandblasters

All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 mm
Capacity: 266cc



\$73

PN: GPASB100

Sand Blasting Kit

Includes 3 extra nozzles, hose and tube.
Siphon feed
Weight: 0.9 Kg



\$69

PN: GP909

Air Body Saw

Free Speed: 10,000 opm
Capacity: 3 mm mild steel
Stroke length 9.5 mm



\$265

PN: GP9301

Quality Bi-metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



\$30 ea

7" Sander



Free Speed: 4,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

\$355

PN: GP1206A

Heavy Duty Angle Grinders



4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$345

PN: GP8102

5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$385

PN: GP31003

Punch & Flange Tool


Capacity: 1.2 mm Mild Steel
Flange Capacity: 14 mm
Hole Punch Diameter: 5 mm
Weight: 1.1kg

\$265

PN: GP9201



Air Nibbler



GREAT FOR CUTTING CURVES.

Cutting Capacity:
1.4 mm steel
1.6 mm aluminium
Free Speed: 2900 SPM
Weight: 0.9kg

\$229

PN: GP9101

3" Cut Off Grinder



\$135

PN: GP3201

Disc Size: 3" (75 mm)
Free Speed: 22,000 RPM
Weight: 0.8 Kg

Die Grinders

1/4" Medium Die Grinder

Free Speed: 22,000 RPM
Weight: 0.675 Kg

\$95

PN: GP2202



1/4" Medium Die Grinder

- Polymer sleeved for comfort

Free Speed: 21,000 RPM
Weight: 0.833 Kg

\$125

PN: GP2202R



1/4" Medium Die Grinder Kit

- Kit includes 1/8" & 1/4" collets and a range of 10 grinding stones

Free Speed: 22,000 RPM

\$125

PN: GP2202K



1/4" Angle Die Grinder

Free Speed: 18,000 RPM
Weight: 0.833 Kg

\$199

PN: GP2203R



Reversible Drills

Reversible 3/8" Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 Kg

\$189

PN: GP41013



Reversible 3/8" Keyless Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 Kg

\$210

PN: GP41013K



1/2" Reversible Drill

Free Speed: 800 RPM
Drilling Capacity: 13 mm
Weight: 1.76kg

\$265

PN: GP4204



3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust

Free Speed: 1500 RPM
Capacity: 10 mm
Weight: 1.02kg

\$299

PN: GP4209



Air-Hydraulic Riveters

3/16" Automotive Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"
Traction Power: 1950 lbs
Weight: 1.5 Kg

\$315

PN: GP1121D



3/16" Industrial Rivet Gun

Rivet Capacity: 1/8, 5/32 & 3/16"
Traction Power: 1980 lbs
Weight: 1.45 Kg

\$399

PN: GP6302



9/32" Industrial Rivet Gun

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 lbs
Weight: 3.4 Kg

\$789

PN: GP6304



SUITABLE FOR STAINLESS RIVETS!

7" Polisher

Free Speed: 2,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 kg

\$355

PN: GP1206P



Impact Wrenches

1/2" Impact Wrench

- Kit includes 10 sockets, 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27 mm
- Single Hammer

Max Torque: 260 ftlb
Bolt Capacity: 16 mm
Free Speed: 7,000 RPM
Weight: 2.0 kg

\$199

PN: GP504K



\$315

PN: GP260T



\$699

PN: GP3125



1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Nett Weight: 2.0 Kg

3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Nett Weight: 3.48 Kg

Heavy Duty Ratchet Wrenches

- Front exhaust

Max Torque: 75 ft/lbs
Free Speed: 200 RPM
Weight: 1.2 Kg

3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

\$199 ea



Hammering Tools

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 mm needles

Stroke Length : 33 mm
Impact Rate: 4,600 BPM
Overall length: 420 mm
Weight: 2.8 Kg



\$389
PN: GP201

Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.
Free Speed: 3,000 BPM
Stroke Length: 19.05 mm
Shank Size: 10.2 mm
Weight: 1.70 Kg

\$135
PN: GP102KD



Straight Needle Scaler Kit

- Includes Moil Point, 20 mm Flat, 35 mm Bents & Needle Scaler Attachment in plastic carry case

Impact Rate : 4600 BPM
Overall length : 460 mm
Piston Stroke : 38 mm
Weight : 2.1 Kg



\$485
PN: GP268K

Heavy Duty Air Hammer

- Includes 5 chisels & spring retainer

Impact Rate: 2,200 BPM
Shank Size : 10.2 mm (round)
Stroke Length : 92 mm
Weight : 2.05 kg

\$179
PN: GP112K



Percussive Engraving Stylus

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread
Hose Length: 1.43 m
Weight: 0.40 Kg

\$315
PN: GP110



Air Caulking Gun



- Aluminium body
- Pressure Range: 45-90 PSI
- Cartridge Size: 310 CC
- Weight: 1.3 Kg

\$94
PN: GP203

Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 mm



\$59
PN: GPA1565

Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



\$19
PN: GPA70X2

Heavy Duty Quick Change Spring Retainer

- Fits most standard air hammers & chisels



\$52
PN: GPA2311

38 MM Flattening Hammer



\$58
PN: HAC-100

Needle Scaler Attachment

- Mounts to most standard air hammers
- Replacement needles available



Needle Array: 19 Needles
Needle size: 3 x 180 mm

\$110
PN: GP60012

7" Chisel Set

- 5 piece set includes 20 mm Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter

Shank Dia.: 10.2 mm



\$52
PN: GPA57

Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc
Length: 410 mm



\$110
PN: GPA034

1/8" Micro Die Grinder Kit

Free Speed: 55,000 RPM

INCLUDES 10 GRINDING STONES



\$245
PN: GP2204K

Rotary Tool Kit

206 Piece set includes, diamond & HSS cutters & twist drills, grinding, cloth, felt, emery & flap wheels, rotary brushes, sanding & cut off discs, polishing compound & dressing stone

206 PIECE SET



\$85
PN: RTK206

Air & Manual Grease Gun

- Takes standard 450 cc cartridge

Kit includes one cannister, manual & pneumatic heads



\$159
PN: GP1081D

1/2" Twin Hammer Impact Wrench



- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM
Max Torque: 685 Ft/lbs (928 Nm)
Weight: 1.98kg

\$395

PN: BIT260M1

1/4" Die Grinder

Free Speed: 20,000 RPM
Length: 165 mm
Weight : 0.55Kg



\$189

PN: BG210R

1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM
Output: 0.45 hp
Weight : 0.75 Kg



\$229

PN: BG230RA1

1/4" Right Angle Die Grinder

- Light weight composite housing

Free Speed: 18,000 RPM
Length: 183 mm
Weight: 0.8 Kg



\$199

PN: BG220RA1

Extended 1/4" Die Grinder

Free Speed: 21,000 RPM
Length: 280 mm
Weight: 0.80 Kg



\$199

PN: BG215RA1

2" Angle Grinder

Free Speed: 15,000 RPM
Output : 0.45 hp
Weight: 0.8 Kg



\$199

PN: BG222RA1

2" Grinder Discs
Thickness: 4 mm
Max Speed: 23,500 RPM



\$13

PN: 3510232

6" Random Orbital Sander

Orbit Diameter: 5 mm
Spindle: 5/16"x24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 Kg



\$269

PN: BOS156A2

6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 mm
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 kg



\$299

PN: BOS156SA2

8" Geared Sanders

Orbit Diameter: 5 mm
Pad mount: 5 hole
Free Speed: 900 RPM
Weight: 1.88 kg



Standard

\$579

PN: BOS258GR-D1

Dust Free

\$589

PN: BOS258GRC-D1

1/2" Reversible Keyless Drill

Free speed: 800 RPM
Weight: 1.95 Kg



\$279

PN: BDR208KLA1

Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance

- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case

Impact Rate: 2,900 bpm
Chisel shank: 10.2 mm
Weight: 1.73 Kg

\$279

PN: BHA67A1



3" Cut Off Tool

Free Speed: 21,000 RPM
Length: 188 mm
Weight: 0.8 Kg



Cutting Disc not included.

\$149

PN: BCTA1

3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm
Speed Rated to 25,000 RPM



\$27

PN: GO007K

Nail Gun Oil

Basso Premium Nail Gun Oil is formulated to prolong the performance of your Basso nail gun in both warm and cold climates. Adding only a couple of drops daily to the air inlet will greatly reduce internal wear and maintain the integrity of the gaskets and seals.

250 ml
Bottle

\$16
PN: BO250

1 Litre
Bottle

\$26
PN: BO1000



Countersink & Nail Remover

Pin Dia.: 4.8 mm
Nail Dia.: 2-4 mm
Weight: 0.80 Kg

**GREAT FOR
TIMBER FRAME
DEMOLITION!**

**REMOVE
ASBESTOS SHEETS
IN ONE PIECE!**



\$349
PN: BPULLER

Medium Duty C Brad Nailer

Shank: 1.4x1.6 mm (16 Gauge)
Nail Length: 19-50 mm
Capacity: 100 brads
Weight: 1.54 Kg



\$299
PN: B1650LA1

80 Series Stapler

Staple Crown: 12.8 mm (80 Series)
Staple Length: 6-16 mm
Capacity: 100 Staples
Weight: 0.90 Kg



\$199
PN: BN8016E

50 MM C1 Series Bradder

Shank: 1x1.25 mm (18 Gauge)
Nail Length: 15-50 mm
Capacity: 100 brads
Weight: 1.25 Kg



\$259
PN: B1850A1

C1 Series Bradder

Shank: 1x1.25 mm (18 Gauge)
Nail Length: 10-32 mm
Capacity: 100 brads
Weight: 0.68 Kg



\$199
PN: B1832PA2

97 Series Stapler

Staple Crown: 4.5 mm (97 Series)
Staple Length: 10-25 mm
Capacity: 142 staples
Weight: 1.2Kg



\$259
PN: BS9725B1

Heavy Duty C Brad Nailer

Shank: 1.4x1.6 mm (16 Gauge)
Nail Length: 19-50 mm
Capacity: 100 nails
Weight: 1.9 Kg



\$399
PN: B1650B1

T-Nailers

Nail Length: 18-64 mm
Capacity: 80 nails
Weight: 2.55 Kg

2.2 mm Nail Shank PN: BT2264A1

2.5 mm Nail Shank PN: BT2564A1

\$399 ea



34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Shank: 1.8 mm (15 gauge)
Nail Length: 25-64 mm
Capacity: 100 Nails
Weight: 1.95kg



\$389
PN: BA3464A1

Heavy Duty Coil Nailer

Shank: 2.03-2.8 mm
Nail Length: 32-65 mm
Capacity: 200-400 nails
Weight: 2.3 Kg

0° Angle

\$679
PN: BC2865F1

15° Angle

\$679
PN: BC2865D1



90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Shank: 2.9-3.3 mm
Nail Length: 50-90 mm
Capacity: 90 nails
Weight: 3.50 Kg



\$579
PN: BA3490F1

SG420 Gravity Feed Air Brush



\$149
PN: SG420A

Nozzle: 0.2 MM
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

KH818 Gravity Feed Spray Guns



\$285 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 MM Nozzle PN: K818M13
1.4 MM Nozzle PN: K818M14
1.8 MM Nozzle PN: K818M18
2.5 MM Nozzle PN: K818M25

KH818 HVLP Gravity Feed Spray Guns



\$299 ea

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 MM Nozzle PN: KH818M13
1.4 MM Nozzle PN: KH818M14
1.8 MM Nozzle PN: KH818M18

K818 Suction Feed Spray Guns



\$289 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 MM Nozzle PN: K818S13
1.8 MM Nozzle PN: K818S18
2.0 MM Nozzle PN: K818S20
2.5 MM Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Guns



\$325
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 MM S-Steel

K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 MM Nozzle

1.2 MM Nozzle

\$215
PN: K357M08

\$245
PN: K357M12

K818 Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

2 Litre Pressure Feed Tank
Tank dimensions:
130L MM x 130W MM x 445H MM
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 kg

1.2 MM Nozzle PN: PW2LTRK12
1.5 MM Nozzle PN: PW2LTRK15
1.8 MM Nozzle PN: PW2LTRK18
2.0 MM Nozzle PN: PW2LTRK20
2.5 MM Nozzle PN: PW2LTRK25

\$529 ea

10 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Tank handle/hanger

10 Litre Pressure Feed Tank
Tank dimensions:
315L MM x 315W MM x 485H MM
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 kg

1.2 MM Nozzle PN: PW10LTRK12
1.5 MM Nozzle PN: PW10LTRK15
1.8 MM Nozzle PN: PW10LTRK18
2.0 MM Nozzle PN: PW10LTRK20
2.5 MM Nozzle PN: PW10LTRK25

\$685 ea

20 Litre Pressure Feed Spray Tank Systems

- Features:
- 10 meter hose
 - Stainless Steel Liner
 - Tank Pressure Regulator
 - Air release valve
 - Safety release valve
 - Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank

Tank dimensions:
400L MM x 400W MM x 780H MM
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 kg

1.2 MM Nozzle PN: PW20LTRK12
1.5 MM Nozzle PN: PW20LTRK15
1.8 MM Nozzle PN: PW20LTRK18
2.0 MM Nozzle PN: PW20LTRK20
2.5 MM Nozzle PN: PW20LTRK25

\$1,550 ea

1/2" Compact Impact Wrench

Free Speed: 9,500 RPM
Max. Torque: 500 Ft/lbs
Weight: 1.65 Kg

97 MM Head

\$359

PN: KP1479



1/2" Impact Wrench

Free Speed: 9,500 RPM
Max Torque: 1,000 Ft/lbs
Weight 2.30 Kg

\$379

PN: KP1488



**Max Torque
1,000
Ft/lbs**

1" Super Duty Impact Wrench

Free Speed: 5,000 RPM
Max. Torque: 1,800 Ft/lbs
Weight: 7.10 Kg

\$1,399

PN: KP1838A-P



1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM
Max. Torque: 1,600 Ft/lbs
Air Inlet: 1/2"

\$1,299

PN: KP1835



3/4" Impact Wrench

Free Speed: 6,500 RPM
Max Torque: 750 Ft/lbs
Nett Weight: 4.55 Kg

\$699

PN: KP1023



6" Extended Anvils Available.

3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM
Max Torque: 1100 Ft/LBS
Nett Weight: 5.6 Kg

\$999

PN: KP1030



1" HD Impact Wrench

- Rubber body protection
- 4 power settings with forward & reverse selector
- Side handle

Free Speed: 3,500 RPM
Max. Torque: 2,500 Ft/lbs
Length: 436 mm
Air Inlet: 1/2"
Weight: 15.55 Kg

\$2,599

PN: KP1045



**2,500
Ft/lbs**

**1.5" Variant
PN: KP1050 \$2999**

Compact Needle Scaler

Impact Rate: 3,700 BPM
Overall Length: 290 mm
12 Needles Ø3 x 125 mm

\$289

PN: KP4714



Pistol Grip Needle Scaler

Impact Rate: 3,700 BPM
Overall Length: 350 mm
19 Needles Ø3 x 180 mm

\$439

PN: KP4722P



Heavy Duty Chipping Hammer

- Moil Point & Flat Chisels available
- Side Exhaust

**Includes
2
Chisels**



Stroke: 102 mm
Impact Rate: 1500 BPM
Length: 350 mm
Weight: 9 Kg

\$945

PN: KP4735S3H

Pittsburgh Air Hammer

- 360° Adjustable Anvil Guide

Impact Rate: 4,200 RPM
Stroke: 50 mm
Weight: 2.20 Kg

\$299

PN: KP4711PH



Through Ratchet Wrench

- Included socket sizes:
8, 10, 12, 13, & 14 mm
5/16, 3/8, 7/16, 1/2 and 9/16"
1/4" & 3/8" anvils

**Includes
10
Sockets**



Free Speed: 450 RPM
Max. Torque: 30 Ft/lbs
Weight: 0.60 Kg

\$389

PN: KP2219

Heavy Duty Air Caulking Gun

Takes 50 mm diameter sausages
400, 500 & 600 ml sizes.
Air pressure: 45-90 PSI
Length: 550 mm
Weight: 0.9 Kg

\$325

PN: KP4613



Two Speed Pistol Grip Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator

Free Speed: 15,000 RPM
Weight: 0.45 Kg

\$199

PN: KP6712



3" Orbital Pistol Grip Sander

- Side mounted speed regulator

Free Speed: 15,000 RPM
Weight: 0.58 Kg

\$265

PN: KP6628



Two Speed Air Sander

- Rotary or Random orbit modes
- Side mounted speed regulator

Hi Free Speed: 6000 RPM
Low Free Speed: 3000 RPM
Orbital Diameter: 1.5 mm
Weight: 0.58 Kg

\$285

PN: KP6635



3/16" Medium Duty Riveter

- Suitable for Aluminium & Mild Steel rivets

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 1045 Kg
Stroke: 16 mm
Weight: 1.56 Kg



Includes an Assortment of Aluminium Rivets & Spares

\$265

PN: FP4821AK

3/16" Compact Riveter with Vacuum Extraction

- Suitable for Aluminium & Mild Steel rivets
- Vacuum Mandrel collection
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 15 mm
Weight: 1.39 Kg



Ideal for the Aluminium Window Industry

\$859

PN: FP4032CVK

3/16" Heavy Duty Composite Riveter

- Suitable rivets of all materials
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 23.5 mm
Weight: 1.55 Kg

\$699

PN: FP4831C

1/4" Riveter with Vacuum Extraction

- Automatic mandrel collection
- Sets steel and stainless ONLY
- Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")
Traction power: 1645 Kg
Stroke: 15 mm
Weight: 1.8 Kg

\$739

PN: FP6431CVK

5/16" Heavy Duty Composite Riveter

- Vacuum mandrel collection
- Suitable rivets of all materials
- Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"
Traction power: 1723 Kg
Stroke: 22.5 mm
Weight: 1.8 Kg

Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

\$1,275

PN: FP51631CVK



Commercial Sweepers

1 Year Commercial Warranty

2 Year Domestic Warranty

Hagga 355

Commercial Sweeper

Performance: 1600 m2/h
Cleaning Width: 550 mm
Capacity: 20 Liters
Weight: 7.2 Kg

\$829

PN: HG355

WHILE STOCKS LAST!



Hagga 477

Commercial Sweeper

- Stores vertically in most closets (1550H x 780W x 300 mm)

Performance: 3,000 m2/h
Cleaning Width: 770 mm
Capacity: 50 Liters
Weight: 15 Kg

\$1,555

PN: HG477

FITS IN MOST CLOSETS



Hagga 497

Commercial Sweeper

Performance: 3,600 m2/hr
Cleaning Width: 970 mm
Capacity 50 litres.
Weight: 15.7 Kg

\$1,915

PN: HG497



90° Keyless Drill Attachment

Chuck Capacity: 1.5-10 mm
Max. speed: 2,100 RPM
Size: 147 x 100 mm
Drive: 9 mm Hex
Weight: 490 g

\$195

PN: PORRADACL

13 MM Keyless Drill Chucks

Capacity: 1.5-13 mm

3/8" x 24 PN: PORTS13F38R

1/2" x 20 PN: PORTS13F12R

\$139 ea



13 MM Keyed Drill Chucks

Capacity: 1.5-13 mm
Body Dia.: 43mm
Chuck Key: KS2

JT6 PN: PORA13J6
B16 PN: PORA13B16

\$89 ea

16 MM Keyed Drill Chucks

Capacity: 1-16 mm
Outer diameter: 56 mm
Key Type: T7

JT6 PN: PORAP16J6
B16 PN: PORAP16B16
B18 PN: PORAP16B18

\$129 ea

20 MM Keyed Drill Chucks

Capacity: 5-20 mm
Outer diameter: 64 mm
Key Type: PORKS4B

\$189

PN: PORAP20J3

Keyless Drill Chucks

- Suitable for lathes, drilling & milling machines

Capacity: 1-13 mm
Mount: JT6

\$155

PN: POR37J6

Capacity: 3-16 mm
Mount: JT6

\$175

PN: POR40J6

Ejecting Drift

- Hardened and Black Oxide finish.

MT1/MT2 PN: PORDR12 **\$22**

MT2/MT3 PN: PORDR23 **\$22**

MT3/MT4 PN: PORDR34 **\$25**

MT4/MT5 PN: PORDR45 **\$34**



In-line Components

1/4" In-line Water Separator

1/4" NPT Female to Male



\$35

PN: GPA1512

1/4" In-line Lubricator

1/4" NPT Female to Male
Capacity: 15 mL



\$30

PN: GPA1025

1/4" Mini Filter Regulator

Max Press.: 280 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Filter Element: 5 μm



\$86

PN: THBFR212

1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Oil Capacity: 30 mL
Filter Element: 5 μm



SUPER COMPACT!
140W x 135H mm

\$88

PN: THBC202

Filter Regulators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Drain Capacity: 80 mL
Filter Element: 5 μm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR804



\$73 ea

3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM
Drain Capacity: 300 mL

PN: THBFR926A

1" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM
Drain Capacity: 300 mL

PN: THBFR928A



AUTO-DRAIN FUNCTION

\$309 ea

Filter Regulator + Lubricators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Oil Capacity: 125 mL
Filter Element: 5 μm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFLR804



\$135 ea

Regulators



1/4" Regulator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM

\$52

PN: THBR202

1/2" Regulator

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Max Flow: 105.94 CFM

\$62

PN: THBR804

3/4" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM

\$169

PN: THBR906

1" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM

\$169

PN: THBR908

Filters

1/2" Filter

Port Size: 1/2" NPT
Max Press.: 215 PSI
Max Flow: 105.94 CFM



\$69

PN: THBF804

1/2" Auto Drain Filter

Port Size: 1/2" NPT
Max Press.: 225 PSI



\$98

PN: THBD704A

Lubricators

Max Press.: 215 PSI
Oil Capacity: 125 mL

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBL804



\$75 ea

Filter / Regulator / Dryers

• Includes desiccant

Max Press.: 250 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Filter Element: 5μ-0.01μ

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR-FLM862

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR-FLM863

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR-FLM864



IDEAL FOR SPRAY PAINTING!

\$259 ea

20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Hose ID: 8 mm
- Hose OD: 12 mm

\$299

PN: GPHR1220



Swivel Connectors

Male thread to Japanese Style Plug
Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

\$20 ea



In-line Regulators

1/4" Air Flow Regulator

\$22

PN: GPA1010



1/4" Air Flow Regulator with Male plug

\$22

PN: GPA1011



20m Wall Mount Hose Reel

- 180° swivel bracket
- 1.5 metre inlet hose
- High quality braided polyurethane hose
- Sheet metal housing
- Adjustable recoil stopper
- Shrouded air line socket
- Hose ID: 6.5 mm

Hose OD: 10 mm

\$299

PN: GPHR1020



In-Line Components

2 Way Cluster Quick Coupler



\$36

PN: GPA1513

3 Way Cluster Quick Coupler



\$44

PN: GPA1514

2 Way In-line Quick Coupler



\$36

PN: GPA1515

3 Way In-line Quick Coupler



\$44

PN: GPA1516

4 Way In-line Quick Coupler



\$49

PN: GPA1517

Bare Air line Manifolds

2 Way Bare Cluster Manifold

Inlet: 1/4" female NPT
1/2" Male NPT
Outlet: 2 x 1/4" Int. NPT



\$20

PN: GPAYA2

3 Way Bare Cluster Manifold

Inlet: 1/4" female NPT
1/2" Male NPT
Outlet: 3 x 1/4" Int. NPT



\$23

PN: GPAYA3

2 Way In-line Bare Manifold

\$20

PN: GPATA2

3 Way In-line Bare Manifold

\$21

PN: GPATA3

4 Way In-line Bare Manifold

\$23

PN: GPATA4



One-Touch Connector Kits

- Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit
PN: AHPACK

\$32

12mm Kit
PN: AHPACK12

\$41



Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool. Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals.



250 ML

\$13

PN: SI250

1 Litre

\$27

PN: SI1000

5 Litre

\$97

PN: SI5000

20 Litre

\$299

PN: SI20LT

Bare Air Line Hose



10 MM Bare Air Hoses

20m Roll

\$55

PN: AH1020

30m Roll

\$94

PN: AH1030

100m Roll

\$275

PN: AH10100

12 MM Bare Air Hoses

20m Roll

\$94

PN: AH1220

30m Roll

\$135

PN: AH1230

100m Roll

\$419

PN: AH12100

One-Touch Recoil Air Hoses



10 MM Air Hoses

6.5 mm ID x 10 mm OD

2 Metre

PN: GPH1003LBHL **\$57**

5 Metre

PN: GPH1006LBHL **\$72**

6 Metre

PN: GPH1008LBHL **\$78**

8 Metre

PN: GPH1010LBHL **\$93**

12 MM Air Hoses

8 mm ID x 12 mm OD

5 Metre

PN: GPH1206LBHL **\$78**

6 Metre

PN: GPH1208LBHL **\$93**

8 Metre

PN: GPH1210LBHL **\$97**

10 Metre

PN: GPH1212LBHL **\$110**

- One-Touch couplings
- Made from kink resistant polyurethane

One-Touch Fitted Air Hoses



Fitted with Japanese compatible One-Touch couplings.

10 MM Fitted Air Hoses

10 mm ID

10 Metre

PN: AH1010F **\$52**

20 Metre

PN: AH1020F **\$83**

30 Metre

PN: AH1030F **\$105**

12 MM Fitted Air Hoses

12 mm ID

20 Metre

PN: AH1220F **\$115**

30 Metre

PN: AH1230F **\$159**



Made in Australia

Impact Univ. Joints



3/8" Drive Universal Joint
Overall Length 50 mm
\$28
PN: GX38U

1/2" Drive Universal Joint
Overall Length 63 mm
\$29
PN: GX12U

3/4" Drive Universal Joint
Overall Length 90 mm
\$57
PN: GX34U

Molybdenum Steel CR-MO.

Socket & Extension Bar Sets

1/2" Thin Wall Sockets & Torque Extension Bar Set

- Chrome Molybdenum
- Teflon sleeved

Sizes:
17,19, 21 mm & 3/16"
Torque Bars sizes:
65, 80, 100 & 120 Ft/lbs

\$219
PN: GPA1596



1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17,19 & 21 mm

\$59

PN: GPA1594



5 Piece Square Drive Adapter Sets

Standard 5 Piece Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

\$29
PN: GX3AS



5 Piece Impact Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

\$41
PN: GX1AS



Wobble Impacting Bar Sets



Made from Chrome Molybdenum Steel CR-MO.

1/4" Wobble Extension Bar 5 Piece Set

Kit includes:
3", 6", 10" & 12" bars

\$57
PN: GXWEBS14

3/8" Wobble Extension Bar 4 Piece Set

Kit includes:
3", 6", 10" & 18" bars

\$82
PN: GXWEBS38

Socket Sets

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" DRIVE SOCKET SETS

3/8" 8 Piece Metric PN: GX838SSM

Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

3/8" 8 Piece Imperial PN: GX838SSI

Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"



HOT PRICE! **\$49 ea**

1/2" DRIVE SOCKET SETS

1/2" 13 Piece Metric PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

1/2" 13 Piece Imperial PN: GX1312SSI

Sizes: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"



HOT PRICE! **\$119 ea**

3/4" DRIVE SOCKET SETS

3/4" 8 Piece Metric PN: GX834SSM

Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

3/4" 8 Piece Imperial PN: GX834SSI

Sizes: 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"



HOT PRICE! **\$189 ea**

Impact Hex & Torx® Bit Sets

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

1/2" 8 Piece Metric PN: GX12HBSM

Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 MM

1/2" 8 Piece Imperial PN: GX12HBSI

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"



\$99 ea



1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

\$99
PN: GX12TX8

Hex Drive Impact Socket Adapter Sets

Input: 1/4" Hex
Output: 1/4", 3/8" & 1/2" Sqr

Meet or exceed DIN & ANSI standards.

Made from Chrome Molybdenum Steel



75 MM Adapter Set

\$25
PN: MP005020

150 MM Adapter Set

\$29
PN: MP005021

Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

75 MM Quick-Lock Backing Pad

\$23

PN: GPA1523K



\$30

PN: GPA1524K

Quick-Lock Ceramic Sanding Discs

Packs of 10



50 MM Quick-Lock Ceramic Sanding Discs

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

36 Grit PN: AB22013S36CP

60 Grit PN: AB22012S60CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22012S80CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22012S120CP

120 Grit PN: AB22013S120CP

\$40 ea

\$40 ea

Quick-Lock Ceramic Flap Discs

Packs of 5



50 MM Quick-Lock Ceramic Mini Flap Discs

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

40 Grit PN: AB22013F40CP

60 Grit PN: AB22012F60CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22012F80CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22012F120CP

120 Grit PN: AB22013F120CP

\$32 ea

\$36 ea

Quick-lock Abrasive Pads

Packs of 10



50 MM Abrasive Fine

75 MM Abrasive Pads

Fine Blue PN: GPA1527X10

Fine Blue PN: GPA1530X10

Maroon Medium PN: GPA1528X10

Maroon Medium PN: GPA1531X10

Brown Coarse PN: GPA1526X10

Brown Coarse PN: GPA1529X10

\$39 ea

\$69 ea

Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 grit 2" disc, 36 grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.



\$38

PN: GPK2

3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.



\$52

PN: GPK3

Abrasive & Sanding Pads made in USA.

8 Piece Flap Wheel Kit

Kit includes:

25 x 12 mm, 120 Grit, x 1
25 x 25 mm, 40 Grit, x 1
25 x 25 mm, 80 Grit, x 1
40 x 25 mm, 80 Grit, x 1
40 x 25 mm, 60 Grit, x 1
40 x 25 mm, 80 Grit, x 1
50 x 25 mm, 80 Grit, x 1
50 x 25 mm, 60 Grit, x 2



\$62

PN: GFWK

Ceramic Sanding Belts



Pack of 10 Belts.

10 MM Sanding Belts

Size: 10 mm x 330 mm

40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

\$35 ea

20 MM Sanding Belts

Size: 20 mm x 520 mm

40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

\$40 ea

Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

\$15

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

\$19

PN: GPA1575

Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).



\$53

PN: TS12

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



\$39

PN: PMC50

Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



\$37

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



\$48

PN: GPA75

Velcro Polishing Pads

60 MM Polishing Pad

Suits 50 mm Velcro Backing Pad



\$14

PN: OWB-60

80 MM Polishing Pad

Suits 75 mm Velcro Backing Pad



\$24

PN: 119-102

150 MM Velcro Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm

Velcro Backing Pad

\$44

PN: F6505



Dust Free Velcro Backing Pad

\$48

PN: F6565



Rubber Turbo Backing Pads

- Specially designed air veins provide cooling air to sanding surface
- Lock Nut included



125 MM Backing Pad

Pad Thickness: 18 mm
Max Speed: 10,000 RPM

M14 Int. PN: GTP162214

5/8" x 11 Int. PN: GTP162258

\$37 ea

180 MM Backing Pad

Pad Thickness: 18 mm
Max Speed: 8,500 RPM

M14 Int. PN: GTP1737

5/8 x 11 Int. PN: GTP1736

\$72 ea

Clean & Strip Discs

- Used for removal of paint and light rust
- Will not damage the original surface

Pack of 2



10 x 50 MM

\$20

PN: ABCH902P

10 x 75 MM

\$32

PN: ABCH903P

2" Cut off Discs

Disc Size: 50 x 1 mm
Max Speed: 30,000 RPM
Bore: 1/4"
Pack of 10



\$37

PN: ABPCWHEELS

flexipads

WHAT QUALITY FEELS LIKE™

Velcro Backing Pads



150 MM Velcro Pads

• Medium Pad Density
Thread Size: 5/8" UNC Int.
Pad Thickness: 12 MM
Max Speed: 10,200 RPM

\$63

PN: FP36160

200 MM Velcro Pads

• Medium Pad Density
Pad Thickness: 12 MM
Max Speed: 6,500 RPM

\$75

PN: FP36185

180 MM Velcro Pads

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 12 MM
Max Speed: 8,500 RPM

\$75

PN: FP36170

Velcro Interface Pads

Used in combination with rigid backing pads, interface pads avoid unwanted flat spots and achieve more consistent results, when working on rounded profiles.

Pad Dia.: 150 MM
Pad Thickness: 12 MM
Max Speed: 13,000 RPM



Standard

\$20

PN: FP32705

5 Hole Dust-Free

\$20

PN: FP32710

180 MM Nylon Backing Pads

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 20 MM
Max Speed: 8,500 RPM



\$34 EA

M14 Int. Thread PN: FP20310

5/8" UNC Int. Thread PN: FP20305

Nylon Backing Pads



100 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$27

PN: FP20020

125 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 16 MM
Max Speed: 12,250 RPM

\$28

PN: FP20210

Heavy Duty 125 MM Grinding Pads

Thread Size: M14 x 2 Int.
Pad Thickness: 18 MM
Max Speed: 12,250 RPM

Ultra Tough & Rigid Pads
ideal for grinding!



COOLFLOW™ Backing Pads

\$40

PN: FP11322

TURBO Backing Pads

\$30

PN: FP11723

Sheep Skin Polishing Bonnets



100% Merino Sheep Skin Wool!

Max. speed: 2,500 RPM
Thickness: 32 MM

7" Bonnet

\$44

PN: FP40015

5" Bonnet

\$34

PN: FP40005

6" Dust Free Multi-Fit Velcro Pad

Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM

\$84

PN: FP17099




Suits Festool & Makita Sanders!

Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant



SUPER BRIGHT 880 LUMENS!

\$159

PN: GLED2CIL

Desktop Magnification Lamp

- Adjustable height & angle
- Interchangeable 100 mm lens (sold separately)

Lens dia.: 100 mm
Magnification: 3 Diopter
Max lens height: 300 mm
Brightness: 560 Lumen
Power supply: 240V
Cord length: 1.3m

560 LUMEN LED LAMP



\$99

PN: ML30

Workbench Magnification Lamp

- Mountable to most workbenches up to 60 mm thick
- 900 mm Two piece articulated arm
- 60 LED lamp with high & low modes
- High quality metal frame construction.

900MM REACH!

760 LUMENS

Magnification: 3 Diopter
Lens dia.: 120 mm
Lamp: 60 x LED
Power: 240 V



\$199

PN: ML60

NICRON

Rechargeable Bicycle Lamp

Brightness: 500 Lm
Intensity: 160 Cd

New!



HIGH BEAM FUNCTION!

Primary Beam:
LOW (100 Lm)
MED (300 Lm)
HIGH (500 Lm)
Size: 72 x 47 x 45 mm
Weight: 168 g

\$125

PN: BK10

- Handlebar mountable thumb controller
- Detachable Lamp Head
- Swivel Mount



P2 Respirators

4 LAYER PROTECTION!



Each respirator comes with 2 additional disposable P2 filters.

HOT PRICE!



Proudly supporting Australian Military Veterans with percentage of all sales.

GREEN PN: MPLR-P2FG
BLACK PN: MPLR-P2B

\$36 ea

morrisflex

Professional Bolt Removal Kits

The four step extraction kit that enables safe & clean removal of broken studs or screws in confined spaces.

Size	PN	Price
M6	CBSETBRM6	\$105
M8	CBSETBRM8	\$115
M10	CBSETBRM10	\$129
M12	CBSETBRM12	\$139
M14	CBSETBRM14	\$175



Air Tools

4" Heavy Duty Extended Cut Off Tool

- Extended reach and ultra compact 39 mm head is ideal for hard to access spaces



QUICK RELEASE ADJUSTABLE GUARD!

Free Speed: 14,000 RPM
Length: 345 mm
Weight: 0.45 Kg

\$479

PN: KP4413

3/8" Heavy Duty Drill

- Side mounted speed regulator

Free Speed: 2300 RPM
Spindle: 3/8-24 UNC
Chuck Cap.: 3/8"

\$99

PN: KP5302



HOT PRICE!